

SIGMA-ALDRICH

sigma-aldrich.com

Material Safety Data Sheet

Version 5.0
Revision Date 12/12/2012
Print Date 03/11/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lignoine
Product Number : 333417
Brand : Sigma-Aldrich
Supplier : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555
Preparation Information : Sigma-Aldrich Corporation
Product Safety - Americas Region
1-800-521-9956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards
Flammable liquid, Target Organ Effect, Carcinogen, Mutagen

Target Organs

Central nervous system, Respiratory system, Eyes, Skin

GHS Classification

Flammable liquids (Category 2)
Germ cell mutagenicity (Category 1B)
Carcinogenicity (Category 1B)
Aspiration hazard (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

H225
H304
H340
H350
Highly flammable liquid and vapour.
May be fatal if swallowed and enters airways.
May cause genetic defects.
May cause cancer.

Precautionary statement(s)

P201
P210
P301 + P310
P308 + P313
P331
Obtain special instructions before use.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
IF exposed or concerned: Get medical advice/ attention.
Do NOT induce vomiting.

HMIS Classification

Health hazard: 0

Sigma-Aldrich - 333417
Delivery 0844231052-000020 Purchase Order 111536

Chronic Health Hazard: *
Flammability: 3
Physical hazards: 0
NFPA Rating
Health hazard: 1
Fire: 3
Reactivity Hazard: 0

Potential Health Effects

Inhalation
May be harmful if inhaled. May cause respiratory tract irritation.
Skin
May be harmful if absorbed through skin. May cause skin irritation.
Eyes
May cause eye irritation.
Ingestion
May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Mineral spirits
Petroleum spirits

Component	Concentration
Lignoine	
CAS-No.	8032-32-4
EC-No.	232-453-7
Index-No.	649-263-00-9

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Sigma-Aldrich - 333417
Delivery 0844231052-000020 Purchase Order 111536

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Lignoine	8032-32-4	TWA	300 ppm 1,350 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	400 ppm 1,800 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	350 mg/m ³	USA. NIOSH Recommended Exposure Limits
		C	1,800 mg/m ³	USA. NIOSH Recommended Exposure Limits
Remarks	15 minute ceiling value			
		TWA	500 ppm 2,000 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m ³ is approximate.				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber
Minimum layer thickness: 0.4 mm
Break through time: 480 min
Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash protection

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 30 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Etchenzell, phone +49 (0)6559 87300, e-mail sales@kcl.de, test method: EN374
If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid
Colour colourless

Safety data

pH no data available
Melting point/freezing point no data available
Boiling point 60 - 80 °C (140 - 176 °F) - lit.
Flash point -49 °C (-56 °F) - closed cup
Ignition temperature 246 °C (475 °F)
Auto-ignition temperature no data available
Lower explosion limit 1.1 %(V)
Upper explosion limit 8 %(V)
Vapour pressure 724.66 hPa (543.54 mmHg) at 20 °C (68 °F)
1,778.33 hPa (1,333.86 mmHg) at 55 °C (131 °F)
Density 0.656 g/cm³ at 25 °C (77 °F)
Water solubility no data available
Partition coefficient: n-octanol/water no data available
Relative vapor density no data available
Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

no data available

Inhalation LC50

LC50 Inhalation - rat - 4 h - 3400 ppm

Remarks: Behavioral: Convulsions or effect on seizure threshold. Behavioral: Muscle weakness.

Dermal LD50

no data available

Other information on acute toxicity

LD50 Intravenous - mouse - 40 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

In vivo tests showed mutagenic effects

Carcinogenicity

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Ligroine)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

May be fatal if swallowed and enters airways.

Potential health effects

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion

May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

Skin

Eyes

May be harmful if absorbed through skin. May cause skin irritation.

Signs and Symptoms of Exposure

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

Synergistic effects

no data available

Additional Information

RTECS: O16180000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1268 Class: 3

Proper shipping name: Petroleum distillates, n.o.s.

Reportable Quantity (RQ):

Marine Pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1268 Class: 3 Packing group: III
Proper shipping name: PETROLEUM DISTILLATES, N.O.S.
Marine Pollutant: No

EMS-No: F.E, S-E

IATA

UN number: 1268 Class: 3 Packing group: III
Proper shipping name: Petroleum distillates, n.o.s.

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Target Organ Effect, Carcinogen, Mutagen

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Ligroine

CAS-No.	Revision Date
8032-32-4	2007-03-01

New Jersey Right To Know Components

Ligroine

CAS-No.	Revision Date
8032-32-4	2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.