

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04
EFFECTIVE: 01/04/94

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 1
ISSUED: 01/15/94

J.T.BAKER INC., 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

=====

SECTION I - PRODUCT IDENTIFICATION

=====

PRODUCT NAME: CALCIUM CHLORIDE, DIHYDRATE
COMMON SYNONYMS: N/A
CHEMICAL FAMILY: CALCIUM COMPOUNDS
FORMULA: $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$
FORMULA WT.: 147.02
CAS NO.: 10035-04-8
NIOSH/RTECS NO.: EV9800000
PRODUCT USE: LABORATORY REAGENT
PRODUCT CODES: 1332,1335,1337,1336,5566,5831

=====

PRECAUTIONARY LABELING

=====

BAKER SAF-T-DATA* SYSTEM

HEALTH	-	1	SLIGHT
FLAMMABILITY	-	0	NONE
REACTIVITY	-	0	NONE
CONTACT	-	2	MODERATE

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES; LAB COAT

U.S. PRECAUTIONARY LABELING

WARNING

CAUSES IRRITATION. MAY CAUSE EYE BURNS.
AVOID CONTACT WITH EYES, SKIN, CLOTHING. AVOID BREATHING DUST. KEEP IN
TIGHTLY CLOSED CONTAINER. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY
AFTER HANDLING.

INTERNATIONAL LABELING

AVOID CONTACT WITH EYES. AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH
PLENTY OF WATER. KEEP CONTAINER TIGHTLY CLOSED.

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04
EFFECTIVE: 01/04/94

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 2
ISSUED: 01/15/94

=====

SECTION II - COMPONENTS

=====

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>WEIGHT %</u>	<u>OSHA/PEL</u>	<u>ACGIH/TLV</u>
CALCIUM CHLORIDE, DIHYDRATE	10035-04-8	98-100	N/E	N/E

=====

SECTION III - PHYSICAL DATA

=====

BOILING POINT: N/A

VAPOR PRESSURE (MMHG) : N/A

MELTING POINT: 176 C (348 F)
(AT 760 MM HG)

VAPOR DENSITY (AIR=1) : N/A

SPECIFIC GRAVITY: 0.84
(H2O=1)

EVAPORATION RATE: N/A

SOLUBILITY(H2O) : APPRECIABLE (>10%)

% VOLATILES BY VOLUME: 0
(21 C)

PH: N/A

ODOR THRESHOLD (P.P.M.) : N/A

PHYSICAL STATE: SOLID

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: WHITE FLAKES. ODORLESS.

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

=====

FLASH POINT (CLOSED CUP) : N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS: UPPER - N/A LOWER - N/A

FIRE EXTINGUISHING MEDIA

USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE.

CONTINUED ON PAGE: 3

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04
EFFECTIVE: 01/04/94

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 3
ISSUED: 01/15/94

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA (CONTINUED)

=====

UNUSUAL FIRE & EXPLOSION HAZARDS
NONE IDENTIFIED.

TOXIC GASES PRODUCED
HYDROGEN CHLORIDE

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT
NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE
NONE IDENTIFIED.

=====

SECTION V - HEALTH HAZARD DATA

=====

THRESHOLD LIMIT VALUE (TLV/TWA): NOT ESTABLISHED

SHORT-TERM EXPOSURE LIMIT (STEL): NOT ESTABLISHED

PERMISSIBLE EXPOSURE LIMIT (PEL): NOT ESTABLISHED

TOXICITY OF COMPONENTS

ORAL RAT LD50 FOR CALCIUM CHLORIDE, DIHYDRATE	1000 MG/KG
INTRAPERITONEAL RAT LD50 FOR CALCIUM CHLORIDE, DIHYDRATE	264 MG/KG
SUBCUTANEOUS RAT LD50 FOR CALCIUM CHLORIDE, DIHYDRATE	2630 MG/KG
INTRAVENOUS MOUSE LD50 FOR CALCIUM CHLORIDE, DIHYDRATE	42 MG/KG
CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO	

CARCINOGENICITY
NONE IDENTIFIED.

REPRODUCTIVE EFFECTS
NONE IDENTIFIED.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 4

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

EFFECTS OF OVEREXPOSURE

INHALATION: IRRITATION OF UPPER RESPIRATORY TRACT

SKIN CONTACT: PROLONGED CONTACT MAY CAUSE IRRITATION

EYE CONTACT: IRRITATION, MAY CAUSE BURNS

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: GASTROINTESTINAL IRRITATION

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

EYES

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE IDENTIFIED

PRIMARY ROUTES OF ENTRY

INGESTION, INHALATION, EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: CALL A PHYSICIAN. IF SWALLOWED, IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER. INDUCE VOMITING.

INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

SKIN CONTACT: IN CASE OF CONTACT, FLUSH SKIN WITH WATER.

EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: NO PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

CONTINUED ON PAGE: 5

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04
EFFECTIVE: 01/04/94

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 5
ISSUED: 01/15/94

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

CERCLA HAZARDOUS SUBSTANCE: NO
SARA 313 TOXIC CHEMICALS: NO
TSCA INVENTORY: YES

=====

SECTION VI - REACTIVITY DATA

=====

STABILITY: STABLE HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: MOISTURE
INCOMPATIBLES: MOST COMMON METALS, WATER, ALUMINUM
DECOMPOSITION PRODUCTS: HYDROGEN CHLORIDE

=====

SECTION VII - SPILL & DISPOSAL PROCEDURES

=====

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. WITH
CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER AND
COVER; REMOVE FROM AREA. FLUSH SPILL AREA WITH WATER.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL
ENVIRONMENTAL REGULATIONS.

=====

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

=====

VENTILATION: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO
KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.
RESPIRATORY PROTECTION: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS
EXIST. IF AIRBORNE CONCENTRATION IS HIGH, USE AN
APPROPRIATE RESPIRATOR OR DUST MASK.
EYE/SKIN PROTECTION: SAFETY GOGGLES, UNIFORM, RUBBER GLOVES ARERECOMMENDED.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04
EFFECTIVE: 01/04/94

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 6
ISSUED: 01/15/94

=====

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

=====

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA.

SPECIAL PRECAUTIONS

MATERIAL IS HYGROSCOPIC.

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

=====

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)
MARINE POLLUTANTS: NO

AIR (I.C.A.O.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

U.S. CUSTOMS HARMONIZATION NUMBER: 28272000003

=====

NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING.

-N/A = NOT APPLICABLE, OR NOT AVAILABLE;

N/E = NOT ESTABLISHED.-

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL

CONTINUED ON PAGE: 7

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0352 -04
EFFECTIVE: 01/04/94

CALCIUM CHLORIDE, DIHYDRATE

PAGE: 7
ISSUED: 01/15/94

=====

OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL. BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET.

NOTE: CHEMTREC, CANUTEC, AND NATIONAL RESPONSE CENTER EMERGENCY TELEPHONE NUMBERS ARE TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS. ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

-
COPYRIGHT 1994 J.T.BAKER INC.
* TRADEMARKS OF J.T.BAKER INC.

===

APPROVED BY QUALITY ASSURANCE DEPARTMENT.