



MATERIAL SAFETY
DATA SHEET

3M
3M CENTER
ST. PAUL, MINNESOTA
55144-1000
612/733-1110

DIVISION: 13-BUILDING SERVICE & CLEANING PRODUCTS
TRADE NAME: CompuBlend Base F
3M I.D. NUMBER: 61-5000-3714-0
ISSUED: December 23, 1986
SUPERSEDES: Initial Issue
DOCUMENT: 10-9262-6

1. INGREDIENTS	CAS Number	Percent	Exposure	Limit-Source
Isopropyl alcohol	67-63-0	10-12	400 ppm	1
Detergents	N/A	88-90	N/A	5

Source Of Exposure Limit: 1 - ACGIH Threshold Limit Value; 2 - Federal OSHA Permissible Exposure Limit; 3 - 3M Exposure Guidelines; 4 - Recommended Guide By Chemical Manufacturer; 5 - None Established.
Abbreviations: N/A - Not Applicable; N/D Not Determined.

2. PHYSICAL DATA

Boiling Point:	180 F	Solubility In Water:	Complete
Vapor Pressure:	N/D	Specific Gravity(Water=1):	~ 0.9
Vapor Density(Air=1)	N/D	Percent Volatile:	~ 10
Evaporation Rate:	N/D	Viscosity:	N/D
		pH:	9.8

Appearance And Odor: Clear liquid.

3. FIRE AND EXPLOSION HAZARD DATA

Flash Point(Test Method): 67 F (CC)
Flammable Limits: LEL = 2.5 UEL = N/D
Extinguishing Media: Water, carbon dioxide, foam, dry chemical.
Special Fire Fighting Procedures: None
Unusual Fire And Explosion Hazards: None

GROUP 1
LOW HAZARD
Hazardous to



3M I.D. NUMBER: 61-5000-3714-0

Issued: December 23, 1986

4. REACTIVITY DATA

Stability: Stable Conditions To Avoid: N/A

Incompatibility - Materials To Avoid: N/A

Hazardous Polymerization: May Not Occur

Conditions To Avoid: N/A

Hazardous Decomposition Products: CO, carbon dioxide, smoke particles.

5. ENVIRONMENTAL INFORMATION

Spill Response: Observe precautions from other sections. Extinguish all ignition sources. Flush small spills (< 5 gal.) to a wastewater treatment system. For larger spills, collect spilled material and flush residue to a wastewater treatment system.

Recommended Disposal: Flush spent aqueous solutions to a wastewater treatment system. Incinerate undiluted product in a permitted hazardous waste facility. Since regulations vary, consult applicable regulations or authorities before disposal.

Environmental Data: Not determined.

U.S. EPA Hazardous Waste Number/Code: D001 (Ignitable)

6. SUGGESTED FIRST AID

Eye Contact: Immediately flush eyes (holding lids open) with water for at least 10 minutes. Call a physician if irritation persists.

Skin Contact: Wash with soap and water. Call a physician if irritation persists.

Inhalation: Provide fresh air.

Ingestion: Do not induce vomiting. Drink two glasses of water or milk and call a physician.

7. PRECAUTIONARY INFORMATION

Keep mixtures away from heat, sparks, and flames. Prevent contact with eyes. Avoid prolonged skin contact and prolonged breathing of vapors. Use only in areas with enough air movement to prevent vapor build up. Keep container closed when not in use. Keep out of reach of children.



3M I.D. NUMBER: 61-5000-3714-0

ISSUED: December 23, 1986

8. HEALTH HAZARD DATA

Eye Contact: Liquid severely irritating to the eyes.

Skin Contact: Liquid may be irritating to the skin upon prolonged or repeated contact.

Inhalation: Overexposure to vapors may cause respiratory system irritation and nervous system impairment.

Ingestion: May cause gastrointestinal irritation and nervous system impairment. Ingestion of large quantities may cause liver and kidney damage. Repeated overexposure to isopropyl alcohol has shown embryotoxic effects to laboratory animals.

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this Data Sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.
