Thermo SCIENTIFIC

SAFETY DATA SHEET

Creation Date 06-Aug-2014

Revision Date 06-Aug-2014

Revision Number 1

	1. Identification
Product Name	Protocol Safranin Stain
Cat No. :	23-255-963, 23-270-183, 23-291-476, 23-291-471, 23-005-83
Synonyms	Safranin
Recommended Use	Laboratory chemicals.
Uses advised against Details of the supplier of the safety	No Information available <u>y data sheet</u>
Company Richard Allan Scientific A Subsidiary of Thermo Fisher Scient 4481 Campus Drive Kalamazoo, MI 49008	Emergency Telephone Number Chemtrec US: (800) 424-9300 tific Chemtrec EU: 001 (202) 483-7616

2. Hazard(s) identification

Classification

Tel: (800) 522-7270

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Carcinogenicity Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Target Organs - Kidney, Liver. Category 3 Category 1A Category 1

Category 2

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor May cause drowsiness or dizziness May cause cancer Causes damage to organs May cause damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response IF exposed: Call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Other hazards

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm. **Unknown Acute Toxicity**

.? % of the mixture consists of ingredients of unknown toxicity.

3. Composition / information on ingredients

Component	CAS-No	Weight %
Water	7732-18-5	80-85
Ethyl alcohol	64-17-5	16 - 18
Methyl alcohol	67-56-1	1-2
Safranin O, certified	477-73-6	< 1

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion	Do not induce vomiting. Obtain medical attention.

Most important symptoms/effects Brea

Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **Unsuitable Extinguishing Media** No information available **Flash Point** 27.78 - 36 °C / 82 - 96.8 °F Method -No information available No information available **Autoignition Temperature Explosion Limits** Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Health 3	Flammability 3	Instability 0	Physical hazards N/A	
	6. Accidental rel	lease measures		
Personal Precautions			of ignition. Take precautionary	
Environmental Precautions	measures against static discharges. Should not be released into the environment. See Section 12 for additional ecological information.			
	0		ent material. Keep in suitable, ures against static discharges.	
Methods for Containment and (Up	0	sal. Take precautionary measure		
	closed containers for dispo 7. Handling a Wear personal protective e sources of ignition. Do not	sal. Take precautionary measu and storage quipment. Keep away from op	ures against static discharges. en flames, hot surfaces and hing. Do not breathe vapors or	

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³	
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m ³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m ³ Skin TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethyl alcohol	TWA: 1000 ppm TWA: 1880 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³	STEL: 1000 ppm
Methyl alcohol	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 310 mg/m ³	TWA: 200 ppm STEL: 250 ppm Skin

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	chemical	

like, pungent
mation available
mation available
available
/ 203 °F
- 36 °C / 82 - 96.8 °F
mation available
mation available
available
available
mation available
mation available

Relative Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity

1 No information available No data available No information available No information available No information available

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	ncompatible products. Heat, flames and sparks.	
Incompatible Materials	Strong oxidizing agents, Acids, Acid anhydrides, Acid chlorides, Peroxides, Metals	
Hazardous Decomposition Produc	ts Carbon monoxide (CO), Carbon dioxide (CO₂)	
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

	No acute toxicity int Based on ATE data					
			n criteria are not m	et. ATE > 2000 m	a/ka.	
	Based on ATE data			et. ATE > 2000 mg		
	Based on ATE data					
on						
	LD50 Oral		LD50 Dermal	LC50	Inhalation	
Ethyl alcohol			Not listed		om/10H (Rat)	
	6200 mg/kg (Rat)	1580	15800 mg/kg (Rabbit)		64000 ppm (Rat) 4 h 83.2 mg/L (Rat) 4 h	
			d long-term expo	sure		
	No information avai	lable				
	No information avai	lable				
	The table below ind	icates whether ea	ach agency has lis	ted any ingredient	as a carcinogen	
CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	
64-17-5	Group 1	Not listed	A3	X	Not listed	
67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed	
477-73-6	Not listed	Not listed	Not listed	Not listed	Not listed	
il Safety & Hea		A2 - Suspec A3 - Animal ACGIH: (Al OSHA: (Occ X - Present	cted Human Carcinog Carcinogen merican Conference cupational Safety & H	of Governmental Ind)	
	CAS-No 7732-18-5 64-17-5 67-56-1 477-73-6 Conference of the state of t	LD50 Oral 7060 mg/kg (Rat) 6200 mg/kg (Rat) gistic No information availate effects as well as chronic effect No information availate of the table below ind CAS-No IARC 7732-18-5 Not listed 64-17-5 Group 1 67-56-1 Not listed 477-73-6 Not listed Conference of Governmental Industriation	LD50 Oral 7060 mg/kg (Rat) 6200 mg/kg (Rat) 6200 mg/kg (Rat) 1580 gistic No information available te effects as well as chronic effects from short an No information available No information available The table below indicates whether ea CAS-No IARC Not listed Not listed 64-17-5 Group 1 Not listed Not listed 67-56-1 Not listed Not listed Not listed Conference of Governmental Industrial A1 - Known A2 - Suspec A3 - Animal ACGIH: (Ar OSHA: (Occ A1 Safety & Health Administration) OSHA: (Occ	LD50 Oral LD50 Dermal 7060 mg/kg (Rat) Not listed 6200 mg/kg (Rat) 15800 mg/kg (Rabbit) gistic No information available te effects as well as chronic effects from short and long-term exponents No information available No information available The table below indicates whether each agency has list CAS-No IARC NTP ACGIH 7732-18-5 Not listed Not listed Not listed 64-17-5 Group 1 Not listed Not listed 67-56-1 Not listed Not listed Not listed A77-73-6 Not listed Not listed Not listed Conference of Governmental Industrial A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen	LD50 Oral LD50 Dermal LC50 7060 mg/kg (Rat) Not listed 20000 pr 6200 mg/kg (Rat) 15800 mg/kg (Rabbit) 64000 p gistic No information available 83.2 mg ke effects as well as chronic effects from short and long-term exposure No information available No information available The table below indicates whether each agency has listed any ingredient No the table below indicates whether each agency has listed any ingredient CAS-No IARC NTP ACGIH OSHA 7732-18-5 Not listed Not listed Not listed Not listed 64-17-5 Group 1 Not listed Not listed Not listed Not listed 67-56-1 Not listed Not listed Not listed Not listed Not listed Conference of Governmental Industrial A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Indu SA - Animal Carcinogen ACGIH: (American Conference of Governmental In	

Revision Date 06-Aug-2014

	A5 - Not Suspected as a Human Carcinogen			
Mutagenic Effects	No information available			
Reproductive Effects	dverse reproductive effects have occurred in humans.			
Developmental Effects	ubstances known to cause developmental toxicity in humans.			
Teratogenicity	eratogenic effects have occurred in humans.			
STOT - single exposure STOT - repeated exposure	Central nervous system (CNS) Kidney Liver			
Aspiration hazard	No information available			
Symptoms / effects,both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting			
Endocrine Disruptor Information	No information available			
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals. See actual entry in RTECS for complete information.			

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	EC50 > 10000 mg/L 24h

Persistence and Degradability Bioaccumulation/ Accumulation No information available No information available.

Mobility

Component	log Pow
Ethyl alcohol	-0.32
Methyl alcohol	-0.74

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	•

14. Transport information

DOT		
UN-No	UN1170	
Proper Shipping Name	ETHANOL SOLUTION	
Hazard Class	3	
Packing Group	111	
TDG		
UN-No	UN1170	

Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	111
IATA	
UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	
IMDG/IMO	
UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	III

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	X	Х	-	231-791-2			X	-	Х	X	Х
Ethyl alcohol	X	Х	-	200-578-6	-		X	X	Х	X	Х
Methyl alcohol	X	Х	-	200-659-6	-		X	X	Х	X	Х
Safranin O, certified	X	Х		207-518-8	-	-	X	Х	Х	X	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	1-2	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		-

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component Methyl alcohol		Hazardou	is Substances RQ	S CE	CERCLA EHS RQs		
			5000 lb		-		
alifornia Proposition 65			n 65 chemicals: Ethy azard when it is inge				
Component	CAS-No	California Prop. 65 Prop		Prop 65 NSRL	Category		
Ethyl alcohol	64-17-5	Developmental		-	Developmental Carcinogen		
Methyl alcohol	67-56-1	Developmental		-	Developmental		
ate Right-to-Know							
Component	Massachusetts	New Jersey	Pennsylvania	a Illinois	Rhode Island		
Water		-	X	-	-		
Ethyl alcohol	Х	x x		X	X		
Methyl alcohol	Х	X X		X	X		

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A Very toxic materials B2 Flammable liquid



16. Other information

Prepared By

Regulatory Affairs Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270

Creation Date Revision Date Print Date Revision Summary 06-Aug-2014 06-Aug-2014 06-Aug-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

