95/91/99

05:46:45

7344624494

EPSON FaxAdvice

Page 002

EPSON

5C 310

S020130

Safety data sheet

25 April, 1997

s = [ce)prification contracts and contracts the recompany uncertaking a large with the recompany uncertaking a large with the contracts of the contract of the contract

1.1. Identification of the product.

INK CARTRIDGE S020130

1.2. Comparly/undertaking identification:

Company name:

Address:

Phone:

Fax:

Contact person:

2. Composition/information on ingredients and the state of the state o

Ingredients:

Company Secret

(Mixture: water-soluble ink)

s Hazaros contilication

No hazardous classification

714---L First-aid measures

Swallowed:

No required.

Eye: Skin: Flush thoroughly with water. Wash with soap and water.

Inhaled:

No required.

a lake inhline measures

Flammability:

None

Suitable extinguishing media:

Dry chemical, carbon dioxide.

6 Accidental releasementules or

If the ink spilt, use sponge to wipe up the ink.

Place it in closed container for property disposal.

EPSON FaxAdvice Page 003 05/01/00 05:47:40 7344624494

EPSON

S020130

Maniglinia hasawadan Kalen 7.15 Handling & Street & Company of the Company of

None required when used as intended in EPSON equipment.

Do not dismantle the cartridge.

7.2 Storage () where the series are a programmer of the contract of the contr

None required when used as intended in EPSON equipment.

•)(•(()•/[•/[•/]

Exposure standards: None

Engineering controls: Not applicable

Personal protection: None required when used as intended in EPSON equipment.

Cyan liquid Appearance: Odor: No odor

Approximately 9~10 pH: at room temperature

Boiling point: No data available Melting point: No data available

Flashing point: Over 110°C in accordance with ASTM D3278

Autoflammability: None Explosive properties: None Oxidizing properties: None

No data available Vapor pressure:

Relative density: at 20°C 1.07

Solubility in water:

Solubility in fat: No data available Partition coefficient: No data available

Viscosity: less than 5 mPa-s at 20°C

Stable Stability:

Hazardous polymerization: Will not occur

Hazardous decomposition products: None

EPSON FaxAdvice Page 004

05:48:41

05/01/00

7344624494

EPSON

S020130

fil Toxicological Information

*Based on toxicology data of chemically similar material.

Acute toxicity:

Oral LD₅₀:

> 5g/kg (Rats)*

Dermal LD₅₀:

No data available

Inhalant LC₅₀: No data available

Irritation:

Skin:

Non-irritating (Rabbits)*

Eye:

Non-irritating (Rabbits)*

Sensitization:

Non-sensitizing*

Carcinogenicity: None (Not listed in NTP, IARC Monographs, OSHA

Regulated, MAK list and Annex I of 67/548/EEC)

Mutagenicity:

None (by Ames test)*

ខ្មែរដែលថ្ងៃ ម៉ែនដែលប្រជាជា

No data available

เรียบรองสารอาธาติ สมโคนร

Dispose of in accordance with federal, state and local regulations.

(4) From Store in the month of the Callette of

No hazardous classification

Recommended uses:

Ink for EPSON ink-jet printers

Restrictions:

Information on this data sheet represents our current data and the best opinion as to the proper use in handling of this product under normal conditions specified in our User's Manual. However, neither Seiko Epson Corporation nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards that exist.