

## Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

**CLEAN ON THE GO CLEAN BY PEROXY [15]** 

Product Number: 4820

Product Division: **Janitorial** 

Product/Technical Information: 1-(800)-537-8990 Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee OH 43537

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Non-Hazardous Products

NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate	Health: 2 - Moderate
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 1- Slight	Reactivity: 1- Slight
	Pers. Prot. Equip.: See Section VIII

## SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing

on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				Table Z-1-A		
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Alcohol ethoxylate	1-5	34398-01-1	Not Established	Not Established	Not Established	No
Hydrogen peroxide	1-5	7722-84-1	1.4	Not Established	Not Established	No
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Quaternary amine	1-5	68478-94-4	Not Established	Not Established	Not Established	No
Fragrance	< 1.0	Proprietary	Not Established	Not Established	Not Established	No

## SECTION III: PHYSICAL DATA

Boiling Point: 210-212 °F	Vapor Pressure: Undetermined
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: Undiluted: 2.1-3.0 Diluted 1:64: 3.0-4.0	Specific Gravity (H <sub>2</sub> O=1): 1.014
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 5-10
Physical State: Liquid	
Appearance & Odor: Pale blue liquid, pleasant odor	

## SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

DECTION IV: TIME & EXI ECCIVE HAZARD DATA	
Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion	Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures: Wear NIOSH approved self-containe	d breathing apparatus and protective clothing. Cool fire-exposed

Unusual Fire & Explosive Hazards: Combustion products are toxic. Releases oxygen when burned.

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes
	Causes skin irritation: Symptoms ma May be harmful if swallowed: Symptoms	y include pain, redness, swelling and possible tissue damage.
	breathing.	lothing. Avoid breathing product mist. Do not swallow. Use
	adequate ventilation. Wash thorough	
Conditions Aggravated by Use:		eexisting skin; eye and respiratory disorders including asthma a
Emergency & First Aid Procedures:	dermands.	
	Flush eyes with water for at least 15 r	ninutes. Remove contact lenses. Get medical attention.
		e skin immediately with plenty of water for at least 15 minutes.
	_	Wash contaminated clothing before reuse.
Ingestion:		two glasses of water to dilute product. Do not give anything by
· ·	mouth to an unconscious person.	the glasses of mater to anato product. Do not give anything by
Inhalation:	Move person to fresh air. Get medica	al attention if irritation persists
	peroxide. Ingestion may result in dist	
Note to i flysician. Contains flydrogen	peroxide. Ingestion may result in dist	ention of the esophagus and stomach
SECTION VI: REACTIVITY DATA		
Stability:	Stable	Incompatible Materials: Metals; metal ions; organic ma
		hypochlorites and oxidizable materials
Hazardous Decomposition Products:	Oxygen, CO, CO2	
SECTION VII: SPILL OR LEAK PROC	EDURES  Small spills of one gallon or less may permitted by local sewer regulations).	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liq
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	EDURES  Small spills of one gallon or less may permitted by local sewer regulations). to containers for disposal. Keep spill	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liq
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method:	EDURES  Small spills of one gallon or less may permitted by local sewer regulations) to containers for disposal. Keep spill Dispose of in compliance with all federal	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method:	EDURES  Small spills of one gallon or less may permitted by local sewer regulations). to containers for disposal. Keep spill Dispose of in compliance with all federal INFORMATION  Not normally required when good ger	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.  eral, state and local laws and regulations.  eral ventilation is provided. However, if exposure limits (see Sen occurs, use of a NIOSH approved respirator suitable for the
Steps to be Taken in Case Material is Released or Spilled:  Waste Disposal Method:  ECTION VIII: SPECIAL PROTECTION  Respiratory Protection:	EDURES  Small spills of one gallon or less may permitted by local sewer regulations). to containers for disposal. Keep spill Dispose of in compliance with all federal INFORMATION  Not normally required when good ger II) are exceeded or respiratory irritation use-conditions and chemicals in Sections.	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.  eral, state and local laws and regulations.  eral ventilation is provided. However, if exposure limits (see Sen occurs, use of a NIOSH approved respirator suitable for the ion II should be considered.
Steps to be Taken in Case Material is Released or Spilled:  Waste Disposal Method:  ECTION VIII: SPECIAL PROTECTIO  Respiratory Protection:  Ventilation:	EDURES  Small spills of one gallon or less may permitted by local sewer regulations). to containers for disposal. Keep spill Dispose of in compliance with all federal Information Information Not normally required when good ger II) are exceeded or respiratory irritation use-conditions and chemicals in Sect Provide good general ventilation.	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.  eral, state and local laws and regulations.  peral ventilation is provided. However, if exposure limits (see Secon occurs, use of a NIOSH approved respirator suitable for the ion II should be considered.  cal exhaust ventilation may be necessary for some operations.
SECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:  Waste Disposal Method:  BECTION VIII: SPECIAL PROTECTION  Respiratory Protection:  Ventilation:  Protective Gloves(Specify Type):	EDURES  Small spills of one gallon or less may permitted by local sewer regulations). to containers for disposal. Keep spill Dispose of in compliance with all federal INFORMATION  Not normally required when good ger II) are exceeded or respiratory irritation use-conditions and chemicals in Sections.	materials  Hazardous Polymerization: Will Not Occur  be flushed with plenty of water to sanitary sewer system (If Dike and contain large spills with inert material and transfer liquout of storm sewers and waterways.  eral, state and local laws and regulations.  peral ventilation is provided. However, if exposure limits (see Second Cocurs, use of a NIOSH approved respirator suitable for the ion II should be considered.  cal exhaust ventilation may be necessary for some operations.  e recommended.

Precautions; Handling & Storing: Do not use with other chemicals. Mixtures of this product with other chemicals, particularly those containing chlorine (hypochlorite) bleach, may result in the production of toxic gases.

Other Precautions: Keep out of reach of children.

© SCC 08/20/2010 Name: Title: Ronald T. Cook Manager, Regulatory Affairs

CLEAN ON THE GO CLEAN BY PEROXY

Effective Date: 08/20/2010 Supercedes: 02/05/2010

[15] Ref: 29 CFR 1910.1200 (OSHA) Changes: Formula revision

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.