## MATERIAL SAFETY DATA SHEET

MSDS 1528

-		HAZARD RATING (NET) Health 1 Flammability 2 Reactivity 0 None		
IDENTITY: W	ipe Downs for Equipment	P/N 5001	Na-constitution (III National Anth-Africa) - Africa - Afr	
SECTION I Id	Identification and General Information			

Ingredients	%	ACGÎH TLV	Cas Number	
SD Alcohol	15	1000 ppm	64-17-5	
Benzalkonium Chloride	.45	None Established	8001-54-5	

(714) 899-9855/800-622-3530

Boiling Point	**	N/A	Specific Gravity	-	0.980
Vapor Pressure	~	N/A	Melting Point	-	N/A
Solubility in Water		Complete	<b>Evaporation Rate</b>	-	N/A
Appearance & Color	-	Towelettes wett	ed with water white solution	on with	alcohol type

N/A = Not Applicable

	Fire and Explosion H		_		
Flash Point - 104 F, TCC Extinguishing Media Special Fire Fighting Procedures Unusual Fire and Explosion Hazards Hazardous Decomposition Products		Flammable Limits - N/A Use Carbon Dioxide or Alcohol type foan Full Facepiece, Pressure Demand SCBA None CO, CO2, HCL, CL2			
SECTION V	Reactivity Data				
Materials to Avoid:  Conditions to Avoid: Incompatibility: Hazardous Polymerization:		Avoid contact with materials that react with water and/or alcohol.  None Known  None Known  Will Not Occur			
	Health Hazard Data	मान्यक जेता वह तक दक्षा दक्षा क्रमान्यक तका करणान्यक प्रकार कर वह वह वह वह वह वह	का राज्य का हा हा ना संस्थान का स्वतंत्र के कि का क्षेत्रकार का स्वतंत्र	· · · · · · · · · · · · · · · · · · ·	
Carcinogenicity:	(SD Alcohol) (BZK)	Not li	sted by OSHA, NT sted by OSHA, NT	TP or IARC.	
Skin:		Avoid	prolonged contac	t with skin.	
Signs & Symptoms o	f Exposure:	Мау с	ause eye irritation	if splashed.	
Medical Conditions A	Aggravated by Exposure	re: None Known			
Emergency and First	Aid Procedures :	If splashed in eyes, rinse thoroughly with cool water. If irritation persists consult a physician.  Toxic, do not ingest. Contains Benzalkonium Chloride. Call physician if ingestion occurs.  (Refer to page 1) ACGIH TLV 1000 ppm			
Ingestion:					
Inhalation:					
SECTION VII Precautions for S			_	nen ann inn (gen een een een een een een een 20 30 de een een een een en 200 dat dat de de de de de de de de d	
Waste Disposal:	Obey Local, St			en han still de cité ver-ver-ver-ver-ver-ver-ver-ver-ver-ver-	
Handling & Storage:	Store at room t	emperature.			
D 0 7 2000 1					

Rev. 2-6-2004

SECTION VIII	Control Measures		Wipe downs	P/N 5001
Respiratory Protection			N/A	######################################
Ventilation			Local Exhaust	
Eye Protection			If eye splash is possib glasses.	le wear splash proof
Other Protective Equipment or Clothing		-	N/A	
Hygiene			Wash hands after use	

DISCLAIMER: THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND ALLEGRO INDUSTRIES ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.