

1.0 Product and Company Identification

Identification of the preparation:

51629 Series - No. 29 Black

Use of the preparation:

Inkjet printing

Company Identification:

Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, Oregon 97330-4239

United States

Emergency telephone number Hewlett-Packard Health Effects Line: 1-800-457-4209 (USA and Canada)

503-494-7199 (USA direct)

208-323-2551 (USA direct)

Singapore: +001-800-332-13321

General information telephone number:

Local Contact Information

Ireland

Liffey Park Technology Campus

Barnhall Road, Leixlip, Co. Kildare Phone: 01 6150000

United Kingdom Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

Hazard Rating	NFPA/HMIS		
Health	1		
Flammability	1		
Instability/Reactivity	0		
Special	none		

2.0 Composition/Information on Hazardous Ingredients

This ink supply contains an aqueous ink formulation

Component/Substance	CAS Number	EU Number	% by	EU Classification
			Weight	
2-Pyrrolidone	616-45-5	210-843-1	<7	Xi; R36/37/38
Carbon black	1333-86-4	215-609-9	<5	not classified
Water	7732-18-5	231-791-2	> 50	not classified

3.0 Hazard Identification

The black ink is not classified according to EU Directive 1999/45/EC



3.1 Routes of Exposure

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

3.2 Acute Health Hazards

Any potential hazards are presumed to be due to exposure to the components.

2-Pyrrolidone: Contact with eyes and skin may result in irritation. Inhalation may result in respiratory irritation. Ingestion may result in nausea, vomiting, and diarrhea.

Carbon Black: Chronic inhalation studies using fine dust particles resulted in lung tumors in animals. The IARC classification (see sec 3.4) was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

3.3 Chronic Health Hazards

None noted

3.4 Carcinogenicity

Carbon black has been classified by the International Agency for Research on Cancer (IARC) as Group 2B (possibly human carcinogen). None of the other ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP or OSHA.

4.0 First Aid Measures

Emergency telephone number

1-800-457-4209 (USA and Canada)

Hewlett-Packard Health Effects

503-494-7199 (USA direct) Singapore: +001-800-332-13321

Line: Inhalation:

Remove to fresh air. If symptoms persist, consult a

physician.

Ingestion:

If stomach upset persists, consult a physician.

Skin:

Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

Eyes:

Do not rub eyes. Immediately flush with large

amounts of clean, lukewarm water (low pressure) for at least 15 minutes or until particles are removed. If

irritation persists, consult a physician.



5.0 Fire Fighting Measures

Extinguishing media:

Water, dry chemical, carbon dioxide, foam

Unsuitable Extinguishing

Media:

None known

Special Firefighting

Procedures:

None known

Unusual fire and explosion

hazards:

No special hazards known

Auto-ignition temperature:

Not determined

Flashpoint (method):

> 200° F, > 93.3° C (US EPA Method 1020)

Hazardous Combustion

Products

Refer to section 10.

6.0 Accidental release measures

Spill or Leak Procedures:

Standard eye and skin protection are recommended.

Environmental precautions:

Do not discharge into drains (See also Section 13,

Disposal considerations)

7.0 Handling and Storage

Storage Temperature:

59°F to 95°F; 15°C to 35°C

Handling and Storage

Keep out of the reach of children.

precautions:

Keep away from extreme heat and cold.

Shelf Life:

1 year

Special Sensitivity:

None

8.0 Exposure control/ personal protection

8.1 Exposure Limit Values

Carbon black: OSHA, ACGIH, Canada, Denmark,

Finland, France, Ireland, Italy, Netherlands, Norway, UK TWA = 3.5mg/m³; Belgium TWA=3.6mg/m³;

Germany TWA=6mg/m³

8.2 Exposure Controls

Standard eye and skin protection for laboratory

chemical safety recommended. Use in well

ventilated area.

9.0 Physical and chemical properties

:Hq

8.0 - 9.3

Boiling point:

Not Determined

June 29, 2002

Page 3 of 5

Inkjet 51629 Series - No. 29 Black



Flash point:

> 200° F. > 93.3° C

Flammability:

US NFPA/HMIS Flammability rating = 1

Explosive properties:

Not applicable

Oxidizing properties: Vapor Pressure:

Not applicable Not applicable

Relative density:

Specific Gravity 1.0 to 1.2

Solubility:

Soluble in water

Partition coefficient:

Not determined

Viscosity:

Not determined

Vapor density:

>1 (air = 1.0)

Evaporation rate:

Not applicable

Other:

Not applicable

10.0 Stability and reactivity

Stability:

Stable under normal storage conditions

Incompatibilities:

Strong oxidizers

Thermal decomposition

Oxides of carbon/sulfur/ nitrogen, fluorine

products:

compounds, and water

Hazardous polymerization:

None

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures lnk formulation has not been tested.

12.0 Ecological information

96 Hour LC50

LC50 < 750 mg/L

Fathead minnow

13.0 Disposal considerations

Dispose in accordance with all applicable US Federal, state, local, and country laws.

14.0 Transportation information

Not a regulated article under United States DOT, IATA, ADR, or RID.

UN Number:

Not applicable

Class:

Not applicable

Proper Shipping Name:

Not applicable

Packing Group:

Not applicable

Marine Pollutant:

Not listed

Special Precautions:

None noted



15.0 Regulatory information

US EPA TSCA Inventory:

All ingredients are listed or exempt.

US EPA TSCA 12(b):

Does not contain listed chemicals.

EU Notification:

All ingredients are listed on EINECS and/or ELINCS

or exempt

EU Hazard Label

This product does not require a label according to

(1999/45/EC):

EU Directive 1999/45/EC.

16.0 Other information

Date Prepared:

June 29, 2002

HP-DMS Document Control Number:

09000de780228561-eng

Revision Information:

This document replaces all prior versions of the

MSDS

EU Risk (R) Phrase definitions:

R36/37/38: Irritating to eyes, respiratory system

and skin.

Other Information:

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC

and USA OSHA Hazard Communications

regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.