

SAFETY DATA SHEET

Creation Date 15-Mar-2010

Revision Date 28-Mar-2024

Revision Number 5

1. Identification

Product Name

Cyclohexene

110-83-8

Cat No. : A11359

CAS No Synonyms

Recommended Use Uses advised against Benzenetetrahydride 1,2,3,4-Tetrahydrobenzene Laboratory chemicals.

nst Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Aspiration Toxicity	Category 1

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed May be fatal if swallowed and enters airways



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component		CAS No	Weight %		
Cyclohexene		110-83-8	<100		
		4. First-aid measures			
General Advice	lf sym	otoms persist, call a physician.			
Eye Contact		nse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get indical attention.			
Skin Contact		f immediately with plenty of water for at least 15 minutes. If skin irritation persists, ysician.			
Inhalation		0,0	fresh air. If not breathing, give artificial respiration. Get medical attention if occur. Risk of serious damage to the lungs (by aspiration).		
Ingestion		mouth with water and drink afterwards plent ician or poison control center immediately. If rward.	5		

Most important symptoms and effects Notes to Physician	None reasonably foreseeable. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically	
	5. Fire-fighting measures	
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.	
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire	
Flash Point	-20 °C / -4 °F	
Method -	No information available	
Autoignition Temperature	250 °C / 482 °F	
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge		

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 3	Health Flammability		Physical hazards N/A					
	6. Accidental release measures							
Personal Precautions	Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.							
Environmental Precautions	•	ater or sanitary sewer system.						
Methods for Containment and C Up	•	ent material. Keep in suitable, c ition. Use spark-proof tools and	•					
	7. Handling	and storage						
Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignitio of vapors by static electricity discharge, all metal parts of the equipment must be grounde Take precautionary measures against static discharges.								
Storage.		sed in a dry, cool and well-ven ammables area. Incompatible						

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Cyclohexene	TWA: 20 ppm	(Vacated) TWA: 300 ppm	IDLH: 2000 ppm	TWA: 300 ppm
-		(Vacated) TWA: 1015 mg/m ³	TWA: 300 ppm	
		TWA: 300 ppm	TWA: 1015 mg/m ³	
		TWA: 1015 mg/m ³	-	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety show are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Recommended Filter type:	Organic gases and vapours filter. Type A. Brown. conforming to EN14387.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties

Liquid
Colorless
sweet
No information available
7-8(@ 20) 0.2 g/L (20°C)
-104 °C / -155.2 °F
83 °C / 181.4 °F @ 760 mmHg
-20 °C / -4 °F
No information available
Not applicable
7.70 vol %
1.30 vol %
94 mbar @ 20 °C
2.8
0.810
Insoluble in water
No data available
250 °C / 482 °F
No information available
0.66 mPa.s at 22 °C
C6 H10
82.13

10. Stability and reactivity				
Reactive Hazard None known, based on information available				
Stability	Stable under normal conditions.			
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Excess heat.			
Incompatible Materials Strong oxidizing agents				
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)				
Hazardous Polymerization Hazardous polymerization does not occur.				
Hazardous Reactions None under normal processing.				
11. Toxicological information				

Acute Toxicity

Product Information

Product Information Component Information	-					
Componer		LD50 Oral		LD50 Dermal	LC50	nhalation
		LD50 = 2400 µL/kg(Ra	at)	Not listed	No	t listed
Toxicologically Syn Products Delayed and immec	-	No information avail s well as chronic effec		nd long-term expo	osure	
Irritation		No information avail	lable			
Sensitization		No information avail	lable			
Carcinogenicity		The table below ind	icates whether e	ach agency has lis	ted any ingredient a	as a carcinogen
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexene	110-83-8	Not listed	Not listed	Not listed	Not listed	Not listed
Reproductive Effec Developmental Effe Teratogenicity		No information avail No information avail No information avail	lable.			
STOT - single expo STOT - repeated ex		None known None known	None known			
Aspiration hazard		Category 1				
	s.both acute a	nd Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting				
Symptoms / effects delayed	,	tiredness, nausea a	ind vomiting			
	-		C C			

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Cyclohexene	Not listed	LC50: = 5.8 mg/L, 96h semi-static (Oryzias latipes)	Not listed	Not listed	
Persistence and Degrada	ability Persistence	is unlikely based on informa	ation available.		
Bioaccumulation/ Accumulation No information available.					
Mobility	Iobility Will likely be mobile in the environment due to its volatility.				
	Component log Pow				
	Cyclohexene		2.99		

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information					
DOT					
UN-No UN2256					
Proper Shipping Name	CYCLOHEXENE				
Hazard Class	3				
Packing Group	ll				
TDG					
UN-No	UN2256				
Proper Shipping Name	CYCLOHEXENE				
Hazard Class	3				
Packing Group	II				
UN-No	UN2256				
Proper Shipping Name	CYCLOHEXENE				
Hazard Class	3				
Packing Group	II				
IMDG/IMO					
UN-No	UN2256				
Proper Shipping Name	CYCLOHEXENE				
Hazard Class	3				
Packing Group					
	15. Regulatory information				

United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
	Cyclohexene	110-83-8	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cyclohexene	110-83-8	Х	-	203-807-8	Х	Х	Х	Х	Х	KE-33445

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island				
Cyclohexene	Х	Х	Х	-	-				
J.S. Department of Trai	•								
Reportable Quantity (RQ	/	N							
DOT Marine Pollutant		N							
DOT Severe Marine Pollu	utant N								
J.S. Department of Hon Security	neland This pro	duct does not conta	in any DHS chemicals.						
Other International Reg	ulations								
Mexico - Grade	Serious	Serious risk, Grade 3							

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	· · · · · · · · · · ·	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cyclohexene	110-83-8	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cyclohexene	110-83-8	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cyclohexene	110-83-8	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com
Creation Date	15-Mar-2010
Revision Date	28-Mar-2024
Print Date	28-Mar-2024
Revision Summary	New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS