

MATERIAL SAFETY
DATA SHEET**3M**

Copyright, 1996, Minnesota Mining and Manufacturing Company.
All rights reserved. Copying and/or downloading of this information for
the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement
is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with
the intention of earning a profit thereon.

DIVISION: HOME AND COMMERCIAL CARE DIVISION

TRADE NAME:

3M Brand CARPET PROTECTOR II CONCENTRATE
(Product No. 17, Twist 'n Fill (tm) System)

ID NUMBER/U.P.C.: 70-0706-7440-6 00-48011-20608-5 70-0706-7441-4 - - -
70-0707-1371-7 00-48011-20777-8 70-0707-1888-0 00-48011-23097-4

ISSUED: DECEMBER 18, 1996
SUPERSEDES: DECEMBER 6, 1996
DOCUMENT: 07-2595-2

1. INGREDIENT	C.A.S. NO.	PERCENT		
WATER	7732-18-5	30	-	60
1-PROPOXY-2-PROPANOL	1569-01-3	30	-	60
FLUOROALIPHATIC ACID SALT (N.J. trade secret registry 04499600- 5001P)	TradeSecret	10	-	30
ACRYLIC ACID, POLYMERS	9003-01-4	1	-	5

NOTE: IN CASE OF EMERGENCY: THE NUMBER AT THE TOP OF THIS PAGE PROVIDES 24
HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS MATERIAL.

2. PHYSICAL DATA

BOILING POINT:..... ca. 200 F
VAPOR PRESSURE:..... N/D
VAPOR DENSITY:..... N/D
EVAPORATION RATE:..... N/D
SOLUBILITY IN WATER:..... complete
SP. GRAVITY:..... ca. 1.1 Water = 1
PERCENT VOLATILE:..... 70-80 %
pH:..... 8-9
VISCOSITY:..... < 100 CPS
MELTING POINT..... N/A
APPEARANCE AND ODOR: Liquid, clear, solvent odor

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... ca. 135 F T.C.C.
FLAMMABLE LIMITS - LEL:..... N/D
FLAMMABLE LIMITS - UEL:..... N/D
AUTOIGNITION TEMPERATURE: ... N/D
EXTINGUISHING MEDIA:
Carbon dioxide, Dry chemical, Foam

Abbreviations: N/D - Not Determined N/A - Not Applicable

MATERIAL SAFETY
DATA SHEET

MSDS: 3M Brand CARPET PROTECTOR II CONCENTRATE
(Product No. 17, Twist 'n Fill (tm) System)
DECEMBER 18, 1996

PAGE: 2 of 6

3. FIRE AND EXPLOSION HAZARD DATA (continued)

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

No unusual fire or explosion hazards are anticipated.

NFPA HAZARD CODES: HEALTH: 2 FIRE: 2 REACTIVITY: 0

UNUSUAL REACTION HAZARD: none

OSHA FIRE HAZARD CLASS: Class II Combustible Liquid

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS TO AVOID:

Not applicable.

HAZARDOUS POLYMERIZATION: Will Not Occur

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide, Hydrogen Fluoride, Hydrocarbons, Irritant Vapors or Gases.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. In the U.S.A., call (612) 733-1110 or (612) 733-6100 for 24-hour spill assistance. Ventilate area. Extinguish all ignition sources. Contain spill. Evacuate unprotected personnel from hazard area. Cover with absorbent material. Collect using non-sparking tools. Clean up residue with water. Place in an approved metal container. Seal the container.

RECOMMENDED DISPOSAL:

Incinerate in a permitted hazardous waste incinerator. Combustion products will include HF.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: ca. 35 %.

VOC less H₂O & Exempt Solvents: N/D.

Since regulations vary, consult applicable regulations or authorities before disposal. In the event of an uncontrolled release of this material, the user should determine if the release qualifies as a reportable quantity. U.S. EPA Hazardous Waste Number = D001 (Ignitable)

MATERIAL SAFETY
DATA SHEET

MSDS: 3M Brand CARPET PROTECTOR II CONCENTRATE
(Product No. 17, Twist 'n Fill (tm) System)
DECEMBER 18, 1996

PAGE: 3 of 6

5. ENVIRONMENTAL INFORMATION (continued)

TSCA: All components used in the manufacture of this material are in compliance with the US TSCA inventory.

EPCRA HAZARD CLASS:

FIRE HAZARD: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

IF SWALLOWED:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, eye contact with the concentrate is not expected to occur. Avoid eye contact. Avoid eye contact with vapor, spray, or mist. Wear vented goggles.

SKIN PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, skin contact with the concentrate is not expected to occur. Avoid skin contact. Wear appropriate gloves when handling this material. A pair of gloves made from the following material(s) are recommended: butyl rubber. Use one or more of the following personal protection items as necessary to prevent skin contact: apron, coveralls.

VENTILATION PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, special ventilation is not required. Use in a well-ventilated area. Provide sufficient ventilation to maintain emissions below recommended exposure limits. Use with adequate dilution ventilation. If exhaust ventilation is not adequate, use appropriate respiratory protection.

MATERIAL SAFETY
 DATA SHEET



MSDS: 3M Brand CARPET PROTECTOR II CONCENTRATE
 (Product No. 17, Twist 'n Fill (tm) System)
 DECEMBER 18, 1996

PAGE: 4 of 6

7. PRECAUTIONARY INFORMATION (continued)

RESPIRATORY PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, respiratory protection is not required. Avoid breathing of vapors, mists or spray. Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: full-face organic vapor respirator.

PREVENTION OF ACCIDENTAL INGESTION:

Do not ingest.

RECOMMENDED STORAGE:

Do not store containers on their sides. Store away from heat. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Keep container tightly closed. Keep away from heat, sparks, open flame, and other sources of ignition. Combustible liquid and vapor.

OTHER PRECAUTIONARY INFORMATION:

Not intended for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label.

Keep children and pets off carpet during application and until dry.

HMIS HAZARD RATINGS: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0
 PERSONAL PROTECTION: X (See precautions, section 7.)

INGREDIENTS	EXPOSURE LIMITS		TYPE AUTH	SKIN*
	VALUE	UNIT		
WATER	NONE	NONE	NONE NONE	
1-PROPOXY-2-PROPANOL	NONE	NONE	NONE NONE	
FLUOROALIPHATIC ACID SALT (N.J. trade secret registry 04499600-5001P)	NONE	NONE	NONE NONE	
ACRYLIC ACID, POLYMERS	NONE	NONE	NONE NONE	

* SKIN NOTATION: Listed substances indicated with "Y" under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- AIHA: American Industrial Hygiene Assoc. Workplace Environmental Exposure Level
- NONE: None Established

MATERIAL SAFETY
DATA SHEET



MSDS: 3M Brand CARPET PROTECTOR II CONCENTRATE
(Product No. 17, Twist 'n Fill (tm) System)
DECEMBER 18, 1996

PAGE: 5 of 6

8. HEALTH HAZARD DATA

EYE CONTACT:

Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, and hazy vision.

SKIN CONTACT:

Mild Skin Irritation: signs/symptoms can include redness, swelling, and itching.

May be absorbed through the skin and produce effects similiar to those caused by inhalation and/or ingestion.

INHALATION:

Single overexposure, above recommended guidelines, may cause:

Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

WHILE THE FOLLOWING EFFECTS ARE ASSOCIATED WITH ONE OR MORE OF THE INDIVIDUAL INGREDIENTS IN THIS PRODUCT AND ARE REQUIRED TO BE INCLUDED ON THE MSDS BY THE U.S. OSHA HAZARD COMMUNICATION STANDARD, THEY ARE NOT EXPECTED EFFECTS DURING FORESEEABLE USE OF THIS PRODUCT.

Prolonged or repeated exposure may cause:

Kidney Effects: signs/symptoms can include reduced urine volume, blood in urine and back pain.

Liver Effects: signs/symptoms can include yellow skin(jaundice) and tenderness of upper abdomen.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.

Aspiration Pneumonitis: signs/symptoms can include coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.

OTHER HEALTH HAZARD INFORMATION:

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: medical conditions, if any, known to be aggravated by exposure to this product are indicated

MATERIAL SAFETY
DATA SHEET



MSDS: 3M Brand CARPET PROTECTOR II CONCENTRATE
(Product No. 17, Twist 'n Fill (tm) System)
DECEMBER 18, 1996

PAGE: 6 of 6

8. HEALTH HAZARD DATA (continued)

in the appropriate portions of the Health Hazard Data section of this data sheet.

CARCINOGENS: components of this product, if any, known to cause, or suspected of causing, cancer as determined by OSHA, IARC, or NTP are described in the Health Hazard Data section of this data sheet in accord with the OSHA Hazard Communications Standard, 29 CFR 1910.1200

SECTION CHANGE DATES

HEALTH HAZD. DATA SECTION CHANGED SINCE DECEMBER 6, 1996 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.