

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04
EFFECTIVE: 01/04/94

CALCIUM CARBONATE

PAGE: 1
ISSUED: 01/15/94

J.T.BAKER INC., 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

=====

SECTION I - PRODUCT IDENTIFICATION

=====

PRODUCT NAME: CALCIUM CARBONATE
COMMON SYNONYMS: LIMESTONE; MARBLE; CALCITE; CHALK; CARBONIC ACID, CALCIUM SALT
CHEMICAL FAMILY: CALCIUM COMPOUNDS
FORMULA: CaCO3
FORMULA WT.: 100.09
CAS NO.: 471-34-1
NIOSH/RTECS NO.: EV9580000
PRODUCT USE: LABORATORY REAGENT
PRODUCT CODES: 1300,4485,5152,1301,5178,4918,1294,1288

=====

PRECAUTIONARY LABELING

=====

BAKER SAF-T-DATA* SYSTEM

HEALTH	-	0	NONE
FLAMMABILITY	-	0	NONE
REACTIVITY	-	0	NONE
CONTACT	-	1	SLIGHT

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES; LAB COAT

U.S. PRECAUTIONARY LABELING

CAUTION

MAY CAUSE IRRITATION. MAY BE HARMFUL IF SWALLOWED.
DURING USE AVOID CONTACT WITH EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER HANDLING. WHEN NOT IN USE KEEP IN TIGHTLY CLOSED CONTAINER.

INTERNATIONAL LABELING

AVOID CONTACT WITH EYES. AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH PLENTY OF WATER. KEEP CONTAINER TIGHTLY CLOSED.

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04
EFFECTIVE: 01/04/94

CALCIUM CARBONATE

PAGE: 2
ISSUED: 01/15/94

=====

SECTION II - COMPONENTS

=====

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>WEIGHT %</u>	<u>OSHA/PEL</u>	<u>ACGIH/TLV</u>
CALCIUM CARBONATE	471-34-1	98-100	15 MG/M	10 MG/M

=====

SECTION III - PHYSICAL DATA

=====

BOILING POINT: N/A

VAPOR PRESSURE (MMHG): N/A

MELTING POINT: 825 C (1517 F)
(AT 760 MM HG)

VAPOR DENSITY (AIR=1): N/A

SPECIFIC GRAVITY: 2.83
(H2O=1)

EVAPORATION RATE: N/A

SOLUBILITY(H2O): NEGLIGIBLE (<0.1%)

% VOLATILES BY VOLUME: 0
(21 C)

PH: N/A

ODOR THRESHOLD (P.P.M.): N/A

PHYSICAL STATE: SOLID

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: GRAY GRANULES.

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

=====

FLASH POINT (CLOSED CUP): N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS: UPPER - N/A LOWER - N/A

FIRE EXTINGUISHING MEDIA

USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE.

CONTINUED ON PAGE: 3

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L S A F E T Y D A T A S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04

CALCIUM CARBONATE

PAGE: 3

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA (CONTINUED)

=====

UNUSUAL FIRE & EXPLOSION HAZARDS

NONE IDENTIFIED.

TOXIC GASES PRODUCED

OXIDES, CARBON MONOXIDE, CARBON DIOXIDE

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT

NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE

NONE IDENTIFIED.

=====

SECTION V - HEALTH HAZARD DATA

=====

THRESHOLD LIMIT VALUE (TLV/TWA): 10 MG/M

SHORT-TERM EXPOSURE LIMIT (STEL): NOT ESTABLISHED

PERMISSIBLE EXPOSURE LIMIT (PEL): 15 MG/M

TOXICITY OF COMPONENTS

NO INFORMATION IS AVAILABLE

CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO

CARCINOGENICITY

NONE IDENTIFIED.

REPRODUCTIVE EFFECTS

NONE IDENTIFIED.

EFFECTS OF OVEREXPOSURE

INHALATION: IRRITATION OF NOSE AND THROAT, IRRITATION OF UPPER
RESPIRATORY TRACT

SKIN CONTACT: NONE IDENTIFIED

EYE CONTACT: IRRITATION

CONTINUED ON PAGE: 4

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04

CALCIUM CARBONATE

PAGE: 4

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: GASTROINTESTINAL PAIN

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

EYES, SKIN

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE IDENTIFIED

PRIMARY ROUTES OF ENTRY

INHALATION, INGESTION, EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE
LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.

INHALATION: IF A PERSON BREATHES IN LARGE AMOUNTS, MOVE THE EXPOSED
PERSON TO FRESH AIR.

SKIN CONTACT: IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH PLENTY OF
SOAP AND WATER FOR AT LEAST 15 MINUTES.

EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF
WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: NO PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

CERCLA HAZARDOUS SUBSTANCE: NO

SARA 313 TOXIC CHEMICALS: NO

TSCA INVENTORY: YES

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L S A F E T Y D A T A S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04

CALCIUM CARBONATE

PAGE: 5

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION VI - REACTIVITY DATA

=====

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT

INCOMPATIBLES: STRONG ACIDS, FLUORINE, ALUM, AMMONIUM SALTS

DECOMPOSITION PRODUCTS: OXIDES, CARBON MONOXIDE, CARBON DIOXIDE

=====

SECTION VII - SPILL & DISPOSAL PROCEDURES

=====

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE

WEAR SUITABLE PROTECTIVE CLOTHING. CAREFULLY SWEEP UP AND REMOVE.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

=====

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

=====

VENTILATION: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.

RESPIRATORY PROTECTION: A RESPIRATOR WITH DUST/MIST FILTER IS RECOMMENDED. IF AIRBORNE CONCENTRATION EXCEEDS TLV, A SELF-CONTAINED BREATHING APPARATUS IS ADVISED.

EYE/SKIN PROTECTION: SAFETY GOGGLES, PROPER GLOVES ARE RECOMMENDED.

=====

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

=====

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA.

CONTINUED ON PAGE: 6

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04
EFFECTIVE: 01/04/94

CALCIUM CARBONATE

PAGE: 6
ISSUED: 01/15/94

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

=====

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)
MARINE POLLUTANTS: NO

AIR (I.C.A.O.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

U.S. CUSTOMS HARMONIZATION NUMBER: 28366000003

=====

NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING.

-N/A = NOT APPLICABLE, OR NOT AVAILABLE;

N/E = NOT ESTABLISHED.-

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL. BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY

CONTINUED ON PAGE: 7

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L S A F E T Y D A T A S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

C0330 -04

CALCIUM CARBONATE

PAGE: 7

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

REVISE THIS MATERIAL SAFETY DATA SHEET.

NOTE: CHEMTREC, CANUTEC, AND NATIONAL RESPONSE CENTER EMERGENCY TELEPHONE NUMBERS ARE TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS. ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

COPYRIGHT 1994 J.T.BAKER INC.

* TRADEMARKS OF J.T.BAKER INC.

===

APPROVED BY QUALITY ASSURANCE DEPARTMENT.