Telephone: (414) 273-3850 TWX: (910) 262-3052 Aldrichem MI Telex: 26 843 Aldrich MI

PAGE:

FAX: (414) 273-4979

ATTN: SAFETY DIRECTOR SCHOOLCRAFT COLLEGE 18600 HAGGERTY ROAD LIVONIA MI 48152 RECEIVING

CUST # 938609 P.O. # 61652

SAFETY DATA SHEET MATERIAL

---- IDENTIFICATION

PRODUCT # 20913-9 CAS # 7761-88-8 MF: AGND3 SYNONYMS NAME: SILVER NITRATE, 99+%, A.C.S. REAGENT

LUNAR CAUSTIC * NITRATE D'ARGENT (FRENCH) * NITRIC ACID, SILVER(1+)
SALT * SILVER(1+) NITRATE * SILBERNITRAT * SILVER NITRATE * SILVER
NITRATE (DOT) * UN 1493 (DOT) *

---- TOXICITY HAZARDS ----

RTECS # VW4725000 SILVER(I) NITRATE (1:1) IRRITATION DATA EYE-RBT 1 MG SEV EYE-RBT 10 MG MOD

TOXICITY DATA

UNR-MAN LDLO:29 MG/KG

ORL-MUS LD50:50 MG/KG

IPR-MUS LD50:34500 UG/KG

AROPAW 25,839,41 TXAPA9 55,501,80

85DCAI 2,73,70 JPPMAB 2,20,50 COREAF 256,1043,63

REVIEWS, STANDARDS, AND REGULATIONS
ACGIH TLV-TWA 0.01 MG(AG)/M3 85INA8 5,529,86
MSHA STANDARD-AIR:TWA 0.01 MG(AG)/M3 DTLVS# 3,231,71
OSHA STANDARD-AIR:TWA 0.01 MG(AG)/M3 FEREAC 39,23540,74
EPA GENETOX PROGRAM 1988, POSITIVE: CELL TRANSFORM.-SA7/SHE
EPA GENETOX PROGRAM 1988, NEGATIVE: E COLI POLA WITHOUT S9
EPA TSCA CHEMICAL INVENTORY, 1986
MEETS CRITERIA FOR PROPOSED OSHA MEDICAL RECORDS RULE FEREAC 47,30420,

82

TARGET ORGAN DATA
PATERNAL EFFECTS (SPERMATOGENESIS)
PATERNAL EFFECTS (TESTES, EPIDIDYMIS, SPERM DUCT)
EFFECTS ON FERTILITY (MALE FERTILITY INDEX)

ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES (RTECS)
DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION

----- HEALTH HAZARD DATA -----

ACUTE EFFECTS MAY BE FATAL IF INHALED, SWALLOWED, OR ABSORBED THROUGH SKIN.

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES

AND UPPER RESPIRATORY TRACT, EYES AND SKIN.

INHALATION MAY BE FATAL AS A RESULT OF SPASM, INFLAMMATION AND EDEMA

OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS AND PULMONARY EDEMA.

SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING,

WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA AND

VOMITING.

MAY CAUSE ARGYRIA (A SLATE-GRAY OR BLUISH DISCOLORATION OF THE SKIN

AND DEEP TISSUES DUE TO THE DEPOSIT OF INSULUBLE ALBUMINATE OF SILVER

CAUSE ARGYRIA (A SLATE-GRAY OR BLUISH DISCOLORATION OF THE SKINDEEP TISSUES DUE TO THE DEPOSIT OF INSOLUBLE ALBUMINATE OF SILV AND DEEP SILVER)

CHRONIC OVEREXPOSURE MAY CAUSE REPRODUCTIVE DISORDER(S) BASED ON TESTS WITH LABORATORY ANIMALS.
TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND

Belgium Aldrich Chemie N.V./S.A. Bd. Lambermontlaan 140, b. 6 B-1030 Brussels Telephone: (02) 2428750 Telex: 62302 Alchem B FAX: (02) 242 82 16

France
Aldrich-Chimie S.a.r.I.
Aldrich-Chimie S.a.r.I.
F-67000 Strasbourg
Telephone: (88) 327010
Telex: 890076 Aldrich F
FAX: (88) 75 12 83

FAX: (03) 258-0157

FAX: (07476) 3779

United Kingdom
Aldrich Chemical Co., Ltd.
The Old Brickyard, New Road
Gillingham, Dorset SP8 4JL
Telephone: (07476) 2211
Telephone: (07476) 2211
Telephone: (07476) 2211
Telephone: (07476) 3779

West Germany
Aldrich-Chemie GmbH & Co. KG
ad D-7924 Steinheim
Telephone: (07329) 87-0
Telex: 714838 Aldri D
FAX: (07329) 87-39

Telephone: (414) 273-3850 TWX: (910) 262-3052 Aldrichem MI Telex: 26 843 Aldrich MI

FAX: (414) 273-4979

PAGE: 2

MATERIAL SAFETY DATA SHEET

CATALOG # 20913-9

NAME: SILVER NITRATE, 99+%, A.C.S. REAGENT

IDXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.
IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.
ASSURE ADEQUATE FLUSHING OF THE EYES BY SEPARATING THE EYELIDS WITH FINGERS.
IF INFALED. REMOVE TO FRESH AID. IF NOT THE EYELIDS IN THE EYELIDS. FIRST IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE DXYGEN. CALL A PHYSICIAN. WASH CONTAMINATED CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES.

----PHYSICAL DATA ----

MELTING POINT: 212 C SPECIFIC GRAVITY: 4.352 VAPOR DENSITY: 5.8

---- FIRE AND EXPLOSION HAZARD DATA ----

EXTINGUISHING MEDIA

WATER SPRAY.

SPECIAL FIRE FIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

STRONG DXIDIZER.

CUAL FIRE AND EXPLOSION HAZARDS EMITS TOXIC FUMES UNDER FIRE CONDITIONS. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. UNUSUAL

---- REACTIVITY DATA ----

INCOMPATIBILITIES
STRONG REDUCING AGENTS
MAY DECOMPOSE ON EXPOSURE TO LIGHT. AINOMMA STRONG BASES MAGNES IUM

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS NITROGEN OXIDES

----- SPILL OR LEAK PROCEDURES ----

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES.

SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.
VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS
WASTE DISPOSAL METHOD
CATALYSTS AND EXPENSIVE METALS SHOULD BE RECOVERED FOR REUSE

OR RECYCLING.

OBSERVE ALL FEDERAL, STATE & LOCAL LAWS.

--- PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE ---

WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. USE ONLY IN A CHEMICAL FUME HODD. SAFETY SHOWER AND EYE BATH.

Belgium Aldrich Chemie N.V./S.A. Bd. Lambermontlaan 140, b. 6 B-1030 Brussels Telephone: (02) 2428750 Telex: 62302 Alchem FAX: (02) 242 82 16

France
Aldrich-Chimie S.a.r.I.
27, Fossé des Treize
F-67000 Strasbourg
Telephone: (88) 327010 Telex: 890076 Aldrich F FAX: (88) 75 12 83

FAX: (03) 258-0157

Japan Aldrich Japan Aldrich Chemical Co., Ltd. Kyodo Bidg, Shinkanda 10 Kanda-Mikuracho Chiyoda-Ku, Tokyo Telephone: (03) 259-0155 Telephone: (03) 259-0155 Telephone: (14) 228 Aldrich G FAX: (07476) 3779

West Germany Aldrich-Chemie GmbH & Co. KG D-7924 Steinheim Telephone: (07329) 87-0 Telex: 714838 Aldri D FAX: (07329) 87-39

Telephone: (414) 273-3850 TWX: (910) 262-3052 Aldrichem MI Telex: 26 843 Aldrich MI

PAGE:

3

FAX: (414) 273-4979

SAFETY DATA SHEET MATERIAL

CATALOG # 20913-9

NAME: SILVER NITRATE. 99+%. A.C.S. REAGENT

FACESHIELD (8-INCH MINIMUM).
DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
WASH THOROUGHLY AFTER HANDLING. HIGHLY TOXIC. CORROS IVE REPRODUCTIVE HAZARD. KEEP TIGHTLY CLOSED. KEEP AWAY FROM COMBUSTIBLE MATERIALS, HEAT, SPARKS, AND OPEN FLAME. LIGHT-SENSITIVE. STORE IN A COOL DRY PLACE.

----- ADDITIONAL PRECAUTIONS AND COMMENTS -----

ITIONAL INFORMATION
INCOMPATIBLE WITH: CHLORIDES, CARBONATES, THIOCYANATES, FERROUS SALTS, CHLOROSULFONIC ACID, ARSENIC POWDER, CHLORINE TRIFLUORIDE OR PHOSPHONIUM IODIDE. SOLUTIONS OF SILVER NITRATE WITH AMMONIA, AMMONIA/SODIUM CARBONATE, OR AMMONIA/SODIUM HYDROXIDE HAVE HAD SEVERAL INSTANCES OF EXPLOSIONS REPORTED. REACTION WITH ACETALDEHYDE, ACETYLENE OR OTHER TERMINAL ALKYNES MAY PRODUCE EXPLOSIVE COMPOUNDS. A DRY MIXTURE OF POWDERED MAGNESIUM AND SILVER NITRATE HAS BEEN REPORTED TO IGNITE EXPLOSIVELY ON CONTACT WITH A DROP OF WATER. A MIXTURE WITH CHARCOAL IGNITES WHEN STRUCK WITH A HAMMER WHILE MIXTURES WITH PHOSPHOROUS OR SULFUR EXPLODE WHEN STRUCK. PASSAGE OF PHOSPHINE GAS INTO A SOLUTION OF SILVER NITRATE RESULTED IN AN EXPLOSION. AN EXPLOSION OCCURRED ON STIRRING A SLURRY OF SILVER NITRATE CRYSTALS WHICH HAD BEEN RECRYSTALLIZED FROM WATER AND ETHANOL. (CHEM. ENG. NEWS, P.2, JANUARY 12, 1987)

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. ALDRICH SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.