



SOP#

HRP.002.026

Title: MSDS McKesson Alcohol Prep Pad Sterile

Page 1 of 4

MCKESSON MEDICAL-SURGICAL

MATERIAL SAFETY DATA SHEET					
Complies with OSHA's Hazard Communication Standard (29 CFR 1910. 1200)					
INFORMATION TELEPHONE NUMBER: 800-334-3646 (M-F 8am to 5pm, CST)		REORDER NO.: 58-204, 58-404			
PRODUCT NAME (as it appears on label)	MSDS McKesson Alcohol Prep Pad Sterile		DESCRIPTION: Topical skin antiseptic		
MARKETED BY:	Cypress Medical Products 1202 S. Route McHenry, IL 60050		DATE PREPARED: PREPARED BY:	2011-1-7 Yuan Weifeng	
HEALTH HAZARDS:		Causes drying, cracking and irritation of skin. Eye irritation. Inhalation can cause irritation of upper respiratory tract, drowsiness, fatigue, headache, low blood pressure, loss of coordination, Respiratory depression, kidney damage. Contact a POISON CONTROL CENTER if ingested.			
PHYSICAL HAZARDS:		Flammability, avoid contact Strong Oxidizing agents, Acids, Acid anhydride, Halogen			
PHYSICAL FORM:		Non-woven saturated with 70% isopropyl alcohol, Sterile			
APPEARANCE:		Clear colorless			
ODOR:		Alcohol odor			
HMIS RATING (concentrate)		HEALTH: 1 REACTIVITY: 0 FLAMMABILITY: 3 PERSONAL: 0			
HAZARD RATING: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Extreme A = Safety Glasses B = Safety Glasses & Gloves					
SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS					
HAZARDOUS COMPONENTS (Specific Chemical Identity: Common Names)	CAS #'s	OSHA PEL	ACHIH TLV	Other Limits Recommended	% (Optional)
Isopropyl Alcohol	67-63-0	400 PPM (TWA)	200 PPM (TWA)/400 PPM (STEL)	A4	70%
OTHER COMPONENTS (Non-Hazardous)					
Water	7732-18-5				30%
N/A = Not Applicable N/E = Not Established N/D = Not Determined N/L = Not Listed					
Note: State, local or other agencies or advisory groups may have established more stringent limits. Consult an industrial hygienist or similar professional, or your local agencies, for further information. A4 Not a known Carcinogen					
SECTION 3 - HAZARDS IDENTIFICATION (Potential Health Effects)					
EYE:	Irritating, and will injure eye tissue if not removed promptly.				
SKIN:	·Low order of toxicity ·Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis .				
INHALATION (BREATHING):	Vapor concentrations above recommended exposure levels may be irritating to the eyes and the respiratory tract, may cause headaches and dizziness, could be anesthetic and may have other central nervous system effects.				
INGESTION (SWALLOWING):	Small amount of liquid aspirated into the respiratory system during ingestion or from vomiting may cause pneumonia or pulmonary edema.				

SIGNS AND SYMPTOMS:	Ingestion may cause nausea, vomiting, stomach pains, diarrhea, coma or death
CANCER:	N/A
TARGET ORGANS:	N/A
DEVELOPMENTAL:	N/A
OTHER COMMENTS:	N/A
PRE-EXISTING MEDICAL CONDITIONS:	N/A

SECTION 4 - FIRST AID MEASURES

Eyes:	Immediately flush eyes with large amount of water for at least 15 minutes. Get prompt medical attention.
SKIN:	N/A
INHALATION (BREATHING):	·N/A
INGESTION (SWALLOWING):	·If swallowed, induce vomiting. Keep at rest. Get prompt medical attention.
NOTE TO PHYSICIANS:	·Keep victim warm and quiet.

SECTION 5 - FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES:	Flash Point: 25.6 degree Celsius (for liquid)
	OSHA Flammability Class: 3 (for Isopropyl alcohol)
	LEL/UEL: 2.0/12.7(vol%) (for Isopropyl alcohol)
	Auto ignition Temperature: 399 degree Celsius(for Isopropyl alcohol)
UNUSUAL FIRE & EXPLOSION HAZARDS:	N/A
EXTINGUISHING MEDIA:	Water spray , foam dry chemical or carbon dioxide
FIREFIGHTING INSTRUCTIONS:	<p>·Use water spray to cool fire exposed surfaces and to protect personnel. Shut off fuel to fire. If a leak or spill has not ignited, use water spray to disperse the vapors.</p> <p>·Either allow fire to burn under controlled conditions or extinguish with alcohol type foam or dry chemical. Try to cover liquid spills with foam.</p> <p>·Spill fires may be extinguished by flooding with large amounts of water.</p>

SECTION 6- ACCIDENTAL RELEASE MEASURES

IF SPILLED/RELEASED:	·Eliminate sources of ignition.
-----------------------------	---------------------------------

SECTION 7- HANDLING AND STORAGE	
HANDLING & STORAGE:	<ul style="list-style-type: none"> · Handle with care. Store in a cool, well-ventilated place away from incompatible materials. · Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. · This material is not a static accumulator but use proper bonding and/or grounding procedures. · Do not pressurize, cut, heat, or weld. Empty product packet may contain product residue.
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION	
ENGINEERING CONTROLS:	N/A
RESPIRATORY PROTECTION:	N/A
SKIN PROTECTION:	N/A
EYE/FACE PROTECTION:	N/A
OTHER PROTECTIVE EQUIPMENT:	
SECTION 9 - PHYSICAL / CHEMICAL PROPERTIES	
Note: Unless otherwise stated, values are determined at 20 degrees Celsius (68 degrees Fahrenheit) and 760 mm Hg (1 atm)	
FLASH POINT:	25.6 degree Celsius (for liquid)
FLAMMABLE/EXPLOSIVE LIMITS (%):	LEL/UEL: 2.0/12.7 vol% (for isopropyl alcohol)
AUTO IGNITION TEMPERATURE:	399 degree Celsius (for isopropyl alcohol)
APPEARANCE:	Clear colorless
PHYSICAL STATE:	Liquid
ODOR:	Alcohol odor
pH:	Not available
VAPOR PRESSURE (mm Hg):	Not available
BOILING POINT:	Not available
FREEZING/MELTING POINT:	Not available
SOLUBILITY IN WATER:	100 wt% (for isopropyl alcohol)
SPECIFIC GRAVITY:	0. 85-0.88
EVAPORATION RATE (nBuAc=1):	Not available
SECTION 10 - STABILITY & REACTIVITY	
CHEMICAL STABILITY:	Stable
CONDITIONS TO AVOID:	N/A
INCOMPATIBLE MATERIALS:	Strong Oxidizing agents, acids, acid anhydride, halogen
HAZARDOUS DECOMPOSITION PRODUCTS:	N/A
HAZARDOUS POLYMERIZATION:	N/A
SECTION 11 - TOXICOLOGICAL INFORMATION	
Oral (rat) LD50: 5045 mg/kg (for isopropyl alcohol) Skin (rabbit): 12800 mg/kg (for isopropyl alcohol)	
SECTION 12 – ECOLOGICAL INFORMATION	
ENVIRONMENTAL MOBILITY	
· This product is water soluble and is expected to remain primarily in water.	
ENVIRONMENTAL DEGRADABILITY	

- This product biodegrades rapidly and is "readily" biodegradable according to OECD guidelines.
- This substance is expected to be removed in a waste water treatment facility.

ECOTOXICITY AND BIOACCUMULATION

- Low acute toxicity to aquatic organisms is expected.

SECTION 13 - DISPOSABLE CONSIDERATIONS

This material as supplied is not hazardous waste according to Federal Regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with hazardous waste, if chemical additions are made to this material, or the material is processed or otherwise altered. Consult 40 CFR 261 to determine, whether the altered material is hazardous waste. Consult appropriate state, regional, or local regulations for additional requirements. Dispose of in accordance with local regulations.

Combination with other material may well indicate another route or disposal. If in doubt, contact the local Authorities. Care in any case should be taken to ensure compliance with national and local regulations.

SECTION 14 - TRANSPORT INFORMATION

DOT CFR 172.101 Data	Not Regulated per 49 CFR 173.4 Small Quantity Exemption
Proper Shipping Name	None
Class	None
UN Number	None
Packaging Group	None
Classification for AIR Transport (ATA): Consult current IATA Regulations prior to shipping by air.	

COMPONENT											
GOVERNING DIRECTIVE:	<p>SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to reporting requirements of the Act and Title 40 of the Code of Federal regulations, Part, 372.</p> <p>SARA 311/312 Hazard Categories</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 70%;">Acute Health Hazard</td><td style="text-align: right;">Yes</td></tr> <tr> <td>Chronic Health Hazard</td><td style="text-align: right;">No</td></tr> <tr> <td>Fire Hazard</td><td style="text-align: right;">Yes</td></tr> <tr> <td>Sudden Release of Pressure Hazard</td><td style="text-align: right;">No</td></tr> <tr> <td>Reactive Hazard</td><td style="text-align: right;">No</td></tr> </table>	Acute Health Hazard	Yes	Chronic Health Hazard	No	Fire Hazard	Yes	Sudden Release of Pressure Hazard	No	Reactive Hazard	No
Acute Health Hazard	Yes										
Chronic Health Hazard	No										
Fire Hazard	Yes										
Sudden Release of Pressure Hazard	No										
Reactive Hazard	No										

Warning:

- S07/09 Keep in a well ventilated area
- S16 Keep away from sources of ignition-No Smoking
- S24/25 Avoid contact with wound and eyes.
- S26 In case of contact with eyes, flush immediately with plenty of water and seek medical advice
- S33 Take precautionary measures against static discharges
- S43B In case of fire, use sand, earth, chemical powder or alcohol type foam

EPA (CERCLA) Reportable Quantity:

SECTION 16 - OTHER INFORMATION

ISSUE DATE:	
PREVIOUS ISSUE DATE:	
PRODUCT CODE:	
DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES	<p>The product information contained in this Material Safety Data Sheet was collected from various supplier sources. All product claims and specifications are those of Cypress Medical Product LLC's suppliers and may not have been independently verified by Cypress. Cypress is not responsible for errors or omissions in, or completeness of, the product information. CYPRESS DISCLAIMS ALL WARRANTIES OF ANY KIND OR NATURE, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF THE SUITABILITY OR FITNESS OF ANY PRODUCT FOR A PARTICULAR PURPOSE</p>