

Valid 11/1999 - 01/2000

Sigma Chemical Co.
P.O. Box 14508
Louis, MO 63178 USA
Tel: 314-771-5765

M A T E R I A L S A F E T Y D A T A S H E E T

SECTION 1. - - - - - CHEMICAL IDENTIFICATION- - - - -

CATALOG #: S9125
NAME: SODIUM BOROHYDRIDE

SECTION 2. - - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -

CAS #: 16940-66-2
MF: H4BNA
EC NO: 241-004-4

SYNONYMS

BOROHYDRURE DE SODIUM (FRENCH) * BOROL * HIDKITEX DF * SODIUM
BOROHYDRATE * SODIUM HYDROBORATE * SODIUM TETRAHYDRIDOBORATE(1-) *
SODIUM TETRAHYDROBORATE(1-) *

SECTION 3. - - - - - HAZARDS IDENTIFICATION - - - - -

LABEL PRECAUTIONARY STATEMENTS

FLAMMABLE (USA)
HIGHLY FLAMMABLE (EU)
TOXIC
CONTACT WITH WATER LIBERATES EXTREMELY FLAMMABLE GASES.
TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
CAUSES BURNS.
IN CASE OF FIRE, USE DRY POWDER. NEVER USE WATER.
KEEP CONTAINER TIGHTLY CLOSED AND DRY.
IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE
PROTECTION.

SECTION 4. - - - - - FIRST-AID MEASURES- - - - -

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH COPIOUS
AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED
CLOTHING AND SHOES.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.
CALL A PHYSICIAN.
DISCARD CONTAMINATED CLOTHING AND SHOES.

SECTION 5. - - - - - FIRE FIGHTING MEASURES - - - - -

EXTINGUISHING MEDIA

DO NOT USE:
WET CHEMICAL
WATER
CARBON DIOXIDE.
HALOCARBONS
USE:
DRY CHEMICAL POWDER.
SODA ASH
DOLOMITE
DRY SAND

SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

FLAMMABLE SOLID.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS

EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

MATERIAL READILY REACTS WITH WATER GENERATING FLAMMABLE AND/OR EXPLOSIVE HYDROGEN GAS.

REACTS WITH WATER TO LIBERATE FLAMMABLE AND/OR EXPLOSIVE GAS.

SECTION 6. - - - - - ACCIDENTAL RELEASE MEASURES- - - - -

EVACUATE AREA.

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES.

SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.

AVOID RAISING DUST.

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. - - - - - HANDLING AND STORAGE- - - - -

REFER TO SECTION 8.

ADDITIONAL INFORMATION

SODIUM BOROHYDRIDE IN DIMETHYLFORMAMIDE (DMF) WILL UNDERGO RUNAWAY THERMAL REACTIONS RESULTING IN VIOLENT DECOMPOSITIONS. AN INDUCTION PERIOD IS INVOLVED AND IT IS TEMPERATURE DEPENDENT, E.G., 45 HOURS AT 62 C AND 45 MINUTES AT 90 C. THE TEMPERATURE CAN REACH THE AUTOIGNITION TEMPERATURE (190 C) OF TRIMETHYLAMINE, THE REACTION BY-PRODUCT. THE ADDITION OF SUPPORTED NOBLE METAL CATALYSTS TO SOLUTIONS OF SODIUM BOROHYDRIDE CAN RESULT IN IGNITION OF LIBERATED HYDROGEN GAS. THE REDUCTION OF RUTHENIUM SALTS SOLUTIONS WITH BOROHYDRIDE SOLUTIONS TO GIVE THE METAL OR AN ALLOY GAVE SOLID PRODUCTS WHICH WERE DRIED AND SUBSEQUENTLY EXPLODED WHEN DISTURBED BY A SPATULA OR ON CONTACT WITH WATER.

MIXING SOLID SODIUM BOROHYDRIDE WITH CHARCOAL (ACTIVATED CARBON) IN AIR PROMOTES THE OXIDATION OF THE SODIUM BOROHYDRIDE, PRODUCING A SELF-HEATING REACTION THAT MAY RESULT IN THE IGNITION OF THE CHARCOAL AND IN PRODUCTION OF HYDROGEN THROUGH THERMAL DECOMPOSITION OF SODIUM BOROHYDRIDE. THE SPONTANEOUS COMBUSTION IN AIR OCCURS AT 90-100'C. THE PRESENCE OF MOISTURE IN THE AIR CAUSES THE IGNITION TO OCCUR MORE READILY.

SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -

WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.

USE ONLY IN A CHEMICAL FUME HOOD.

SAFETY SHOWER AND EYE BATH.

FACESHIELD (8-INCH MINIMUM).

DO NOT BREATHE DUST.

DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

WASH THOROUGHLY AFTER HANDLING.

KEEP TIGHTLY CLOSED.

KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.

STORE IN A COOL DRY PLACE.

SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -

APPEARANCE AND ODOR

SOLID.

PHYSICAL PROPERTIES

MELTING POINT: >300 C

EXPLOSION LIMITS IN AIR:

LOWER 3.02%

SECTION 10. - - - - - -STABILITY AND REACTIVITY - - - - -

STABILITY

STABLE.

INCOMPATIBILITIES

OXIDIZING AGENTS

ACIDS

MAY DECOMPOSE ON EXPOSURE TO MOIST AIR OR WATER.

CHEMICALLY ACTIVE METALS

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS

BORANE/BORON OXIDES

SODIUM OXIDE

HAZARDOUS POLYMERIZATION

WILL NOT OCCUR.

SECTION 11. - - - - - TOXICOLOGICAL INFORMATION - - - - -

ACUTE EFFECTS

TOXIC BY INHALATION, INGESTION OR SKIN ABSORPTION.

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES AND SKIN.

INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS AND PULMONARY EDEMA.

SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA AND VOMITING.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

RTECS #: ED3325000

BORATE(1-), TETRAHYDRO-, SODIUM

TOXICITY DATA

IPR-RAT LD50:18 MG/KG

AMIHAB 17,124,1958

ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES (RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION.

SECTION 12. - - - - - ECOLOGICAL INFORMATION - - - - -

DATA NOT YET AVAILABLE.

SECTION 13. - - - - - DISPOSAL CONSIDERATIONS - - - - -

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. - - - - - TRANSPORT INFORMATION - - - - -

CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.

SECTION 15. - - - - - REGULATORY INFORMATION - - - - -

EUROPEAN INFORMATION

HIGHLY FLAMMABLE

TOXIC

R 15

CONTACT WITH WATER LIBERATES EXTREMELY FLAMMABLE GASES.

R 23/24/25

TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

R 34

CAUSES BURNS.

HIGHLY FLAMMABLE

S 43

IN CASE OF FIRE, USE DRY POWDER. NEVER USE WATER.

S 7/8

KEEP CONTAINER TIGHTLY CLOSED AND DRY.

S 45

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

S 36/37/39

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK

NOHS 1974: HZD 83757; NIS 5; TNF 162; NOS 4; TNE 977

NOES 1983: HZD 83757; NIS 5; TNF 274; NOS 11; TNE 14408; TFE 2344

EPA TSCA SECTION 8(B) CHEMICAL INVENTORY

EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JUNE 1999

SECTION 16. - - - - - OTHER INFORMATION - - - - -

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA, ALDRICH, FLUKA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING

OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR
PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 1998 SIGMA-ALDRICH CO.

LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY