

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

1 Identification

Product identifier

Trade name: Blasocut® BC 940 SW**Article number:** 01940-65**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Metalworking fluid concentrate

Details of the supplier of the safety data sheet**Manufacturer / Supplier:**

BLASER SWISSLUBE, Inc.

31 Hatfield Lane

Goshen, NY 10924

USA

Phone: +1 (0) 845 294 32 00

Fax : +1 (0) 845 294 31 02

Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department

E-mail: reach@blaser.com

Emergency telephone number:

Within USA and Canada : 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

Causes serious eye irritation.

Label elements**GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS07

Signal word Warning**Hazard statements**

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear eye protection / face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Other hazards None

USA

(Contd. on page 2)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Mixture of mineral oils, emulsifiers, stabilizers, long chained chlorinated paraffins (> C₁₈) and inhibitors.

Declarable components:

CAS no.

770-35-4	1-Phenoxypropan-2-ol	>5.0-9.9%
173832-45-6	Alcoylated ester of polymerized fatty acids	>1.0-4.9%
68608-26-4	Sodium petroleum sulfonate	>1.0-4.9%
125304-09-8	Ethercarboxylic acid, mixture with alcanolamines	>1.0-2.9%
3811-73-2	Sodium omadine	< 0.25%

Additional information:

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: The use of SCBA is recommended.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USA

(Contd. on page 3)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 2)

7 Handling and storage

Handling:
Precautions for safe handling

The product is not subject to identification regulations according to directives on hazardous materials. Observe the general safety regulations when handling chemicals.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities
Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from oxidizing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Storage temperature between -4°F and +104°F

Optimal storage temperature between -20 °C and +40 °C.

Duration of Storage: In closed, original container, at least 24 months.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters
Components with limit values at the workplace:

NIOSH Recommended exposure limit for Metalworking fluids: 0.5mg/m³ (particulate)

64742-52-5 Mineral oil, severely hydrotreated, naphthenic (>25-<50%)

ACGIH TLV (US)	Long-term value: 5 mg/m ³
OSHA PEL (US)	Long-term value: 5 mg/m ³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls
Personal protective equipment:
General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory Protection: Not required.

Material of gloves (recommended):

Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.

Breakthrough time of glove material:

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection (recommended):

Eye protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010

Use of tight fitting goggles

Body protection (recommended): Protective work clothing

USA

(Contd. on page 4)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 3)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid
Color:	Brown
Odor:	neutral
Odor threshold:	Not determined.

pH-value:	8.7 - 9.4 @ 5% in H ₂ O (DIN 51369 / ASTM D1287)
-----------	---

Change in condition:

Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	> 300 °C (> 572 °F) (DIN 51751 / ASTM D86)

Flash point:	135 °C (275 °F) (ISO 2592 / ASTM D92)
Evaporation rate	Not determined.

Flammability (solid, gaseous):	Not applicable.
Vapour density	Not determined.
Relative density:	0.98 @ 68°F (20 °C) (DIN 51757 / ASTM D1217)

Solubility in / Miscibility with Water:	Emulsifiable.
---	---------------

Partition coefficient (n-octanol/water):	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.

Viscosity	
Kinematic at 40 °C (104 °F):	87 mm ² /s (ISO 3104 / ASTM D445)

VOC content	160 (ASTM E1868-10); Concentrate in the packaging as sold. 24 g/L (ASTM E1868-10) @ Maximum concentration 15%
-------------	--

Other information:	none
--------------------	------

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products

(in case of fire or oxidation):

Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Chlorine compounds
Nitrogen oxides (NO_x)
Sulfur oxides (SO_x)

USA

(Contd. on page 5)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

> 2000 - < 5000 mg / kg (oral, rat)

> 5,100 mg/m³ 4h (inhalation, rat)

ATE (Acute Toxicity Estimates)

Oral LD50 5848 mg/kg (rat)

Dermal LD50 2225 mg/kg

Inhalative LC50/4 h 60 mg/L (rat)

770-35-4 1-Phenoxypropan-2-ol

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

Inhalative LC50/4 h >5.4 mg/L (rat)

68608-26-4 Sodium petroleum sulfonate

Oral LD50 > 6000 mg/kg (rat)

Dermal LD50 > 5000 mg/kg (rabbit)

125304-09-8 Ethercarboxylic acid, mixture with alcanolamines

Oral LD50 > 2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

3811-73-2 Sodium omadine

Oral LD50 1208 mg/kg (rat)

Dermal LD50 1800 mg/kg (rabbit)

Inhalative LC50/4 h 1.08 mg/L (rat)

Primary irritant effect:

on the skin: No irritant effect.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

770-35-4 1-Phenoxypropan-2-ol

EC50/48h >100 mg/L (daphnia)

EC50/96h >100 mg/L (Algae)

220-460 mg/L (Bra)

(Contd. on page 6)

USA

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 5)

173832-45-6 Alcoxylated ester of polymerized fatty acids

EC50/48h	100 mg/L (daphnia)
EC50/72h	8.9 mg/L (Desmodesmus subspicatus)
	2.2 mg/L (Scenedesmus capricornutum)
EC50/96h (static)	100 mg/L (Oncorhynchus mykiss)
	100 mg/L (Cyprinus carpio)

3811-73-2 Sodium omadine

EC50/48h	0.0088 mg/L (daphnia) (OECD 202) nach 48h.
EC50/72h	0.0012 mg/L (Algae) (OECD 201) nach 120h.
EC50/96h	0.0026 mg/L (Oncorhynchus mykiss) (OECD 203) nach 96h.

Persistence and degradability No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers**Recommendation:**

Disposal must be made according to official regulations.

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be reused.

14 Transport information**UN-Number****DOT, IMDG, IATA**

not applicable

DOT, IMDG, IATA

not applicable

DOT, IMDG, IATA**Hazard Classification:**

not applicable

DOT, IMDG, IATA

not applicable

Environmental hazards**Marine pollutant (according to IMDG):** No**Special precautions for user**

Not applicable.

Transport/Additional information:

Not hazardous according to the above specifications.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 6)

IATA

IATA Dangerous Goods Regulation (DGR) 56th Edition 2015

UN "Model Regulation":

-

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

This product does not contain a chemical that are listed in Section 313.

TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from notification requirements.

California Proposition 65

This product does not intentionally contain any chemicals known by the State of California to cause cancer and/or birth defects. Moreover, we do not routinely analyze its products for impurities which may be such chemicals.

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories:

EPA (Environmental Protection Agency)

None of the ingredients is listed.

NIOSH-Carcinogen list

None of the ingredients is listed.

California SCAQMD Rule 1144:

Category: Metalworking Fluid – Metal Removal – General. Recordkeeping requirement: Super Compliant.

(< 50 g/L VOC @ max. use concentration)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420:

RoHS:

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

IP346:

The mineral oil used in this product passes IP346 for DMSO extractable PAH's (Polycyclic aromatic hydrocarbons).

(Contd. on page 8)

USA

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 07/24/2015

Edition number 2

Reviewed on 07/24/2015

Trade name: Blasocut® BC 940 SW

(Contd. of page 7)

NFPA ratings (scale 0-4)

Health = 1
 Fire = 1
 Reactivity = 0

HMIS ratings (0-4)

Health = 1
 Fire = 1
 Reactivity = 0

Department issuing SDS: Product Stewardship
Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of preparation / last revision 07/24/2015 / 1
Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation
 RoHS: Restriction of Hazardous Substances
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 ISO: International Organisation for Standardisation
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 DMSO: Dimethyl sulphoxide extract
 IP 346: Institute of Petroleum and related for testing methods for petroleum and fuel products.
 PBT: Persistent, Bioaccumulative and Toxic chemicals
 vPvB: very Persistent and very Bioaccumulative chemicals
 NIOSH: National Institute for Occupational Safety and Health
 OSHA: Occupational Safety and Health Administration
 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

*** Data compared to the previous version altered.**

The asterisk (*) on the left side indicate the respective changes from the previous version.

USA