

## Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

		(A)
	U	
WHMIS	Picto	arome)

HMIS CLASS B-5: I-lammable aerosol. WHMIS CLASS D-2E HCS CLASS: Flammable aerosol. interial causing other toxic effects (TOXIC).

WIIMIS (Classification)

HCS

Section I. Ch	emica	क्योगीबद्धारीय देखावर विष्ठा विश्वविद्या विश्वविद्या		100	
Product Name/ Trade name	Glyli	it, Fresh and Clean	Code	085	
Synonym	Hospit I	Disinfectant/Deocorant	CAS#	Mixture.	
Chemical Family	N/A		Validation Da	ite 3/2/2007	
Chemical Formula	Not ap	table.	Print Date	3/23/2007	
Manufacturer/ Supplier			In Case of C Emergency	Chemtrec (800) 424-9300	
TSCA	TSCA It	ntory: All compone its listed or are exempt from listing.			
DSL/ NOSL	All com	nents listed unless noted elsewhere on this MSDS	P	rotective Clothing	

Name	CAS#	% by Weight	Exposure Limits	LC <sub>80</sub> /LD <sub>50</sub>
Isopropyl Alcohol	67-63-0	50 - 60	TWA: 400 ppm OSHA (United States). TWA: 400 ppm	ORAL (LD50): Acute 16971 mg/kg [Rat].
Liquified Petroleum Gas	68476-85-7	20 - 30	STEL: 500 ppm TWA: 1000 ppm OSHA (United States). TWA: 1000 ppm	Not available.
Triethylene Glycol Perfume Oil Monoethanolamine	112-27-6 N/A 141-43-5	5 - 10 0 - 5 0 - 5	Not available. Not available. TWA: 3 ppm OSHA (United States). TWA: 6 ppm	Not available. Not available. Not available.
Sodium Nitrite Quaternary Ammonium Chlo i	7632-00-0 68391-01-15	<1 0.2	STEL: 6 ppm Not available. Not available.	Not available. Not available.

Section 3. Hazard	s hi	ntification
	:	cause corneal opacity. Irritating to the mucous membranes of the nose, throat and . Vomiting, Diarrhea, Dizziness, Drowsiness, Thirst, Faintness, weakness.
	Rep	hated skin exposure can produce local skin destruction, or dermatitis. Severe exposure can result in death.
Carcinogenic Effects	No	classified or listed by IARC, NTP, OSHA, EU and ACGIH.
Carlo		

Section 4. First A	Ic !easures
Eye Contact	Id eye open and rinse slowly and thoroughly with water for 15 to 20 minutes. Remove tract lenses, if present, after the first 5 minutes, then continue rinsing eye. Hold eye open is in the first 5 minutes, then continue rinsing eye. Remove contact lenses, if sent, after the first 5 minutes, then continue rinsing eye.
Skin Contact	lise skin with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for their treatment advice.
Inhalation	ve person to fresh air. If person is not breathing, call 911 or an ambulance, then give in ficial respiration, preferably mouth to mouth if possible. Call a poison control center or iter for further treatment advice.
Ingestion	( a poison control center immediately for treatment advice. Have person sip a glass of verifiable to swallow. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

Section 5. Fire Fig	gh!	ng Measures	-
Products of Combustion	()	ion oxides (CO, (CO2)	+
Fire Fighting Media and Instructions	Vi	ler fog, dry chemical, CO2, foam.	
Special Remarks on Fire Hazards	Ni		
Special Remarks on Explosion Hazards	<u></u> ⊦ €	ted cans may burst.	+

Section 6. Accid	ent	Release Measures
Small Spill and Leak	Si	ty glasses recommended. Try to stop the gaseous leak by taping the container with an opriate material (tape, stretched plastic).
Large Spill and Leak	A	orb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	В!	iure to use a MSHA/NIOSH approved respirator or equivalent. Gloves (impervious).

Section 7. Har	dling : Id Storage
Precautions	An id contact with skin and eyes. After handling, always wash hands thoroughly with soa are water. DO NOT ingest.
Incompatibility	o) izing agents
Storage	Final mable materials should be stored in a separate safety storage cabinet or room. Keep out of reach of children. For Institutional and Commercial Use

Section 8. Exposi	ure i ontrols/Personal Protection	-
<b>Engineering Controls</b>	Good general ventilation should be sufficient to control airborne levels.	-
Personal Protection	to control all bothe levels.	
Eye	s Sa ' y glasses.	
Body	No secial protective clothing is required.	-
Respiratory	www. appropriate respirator when ventilation is inadequate.	+
Hands	Glivis (impervious).	+
Protective Clothing (Pictograms)		

Exposure Limits	€ ∋propyl Alcohol
	/A: 400 (ppm)
	1 /A: 400 (ppm) from DDI ( pm
	A: 400 (ppm) from OSHA (PEL)
	EL: 500 (ppm)
	.  ulfled Petroleum Gas
	A: 1000 (ppm)
	' A: 1000 (ppiii)
	A: 1000 (ppm) from OSHA (PEL)
	/ noethanolamine
J	'A: 3 (ppm)
	'A: 6 (ppm) from OSHA (PEL)
	: EL: 6 (ppm)
a	(ppin)
	( ) coult level and a size of
	( sult local authorities for acceptable exposure limits.


Physical St.		nd Chemical Properties	<u> </u>	
Physical State and Appearance	(;	ii. (Compressed ças.)	Odor	Pleasant.
Molecular Weight	1	applicable.	Taste	Not available.
рН	11		Color	Colorless.
Boiling/Condensation Point	N /			
Melting/Freezing Point	N C	available.		
Critical Temperature	١.	available.		
Instability Temperature	١:	available.		
Specific Gravity	0 8	(Water = 1)		
Vapor Pressure	3 :	sig @ 68°F		
Vapor Density	>	(Air = 1)		
Volatility	91			
voc	5;	1%		
Evaporation Rate	>'		7	
		( <del></del> , <del>  </del>	N &	
	,			
Dispersion Properties				
Solubility	Sci	:le		
The Product is:	Flar	nable.		
Auto-ignition Femperature	N/,			
Flash Points	0:	N CUP: 11.667°C (53°F).		
lammable Limits		R: 1.9% UPPER: 8.5%		
fire Hazards in Presence f Various Substances				,
xplosion Hazards in resence of Various ubstances	Heir	d Cans May burst		

Section 10. Stabilit	and Reactivity Data	
Stability	product is stable.	ti and
Incompatibility with Various Substances	dizing agents	
Hazardous Decomposition	rbon Dioxide	

Section 11. Tox	icol: ical Information		
Routes of Entry	I :: Contact Ingestion. INHALATION Skin contact.		
Toxicity to Animals	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii		
Acute Effects on Huma	ns		
E	yes in ant. Eye contact can result in corneal damage or blindness.		
	ant. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, lering.		
Inhalat	Intly Irritating to the respiratory system.		
Ingest	iting to mouth, throat and stomach. May cause gastrointestinal discomfort. May cause dache, dizziness, nausea, vomiting and diarhea.		
Chronic Effects on Humans	Figure 1 leated skin exposure can produce local skin destruction, or dermatitis. Severe or resposure can result in death.		
Special Remarks on Foxicity to Animals	↑: :idditional remark.		
Special Remarks on Chronic Effects on Humans	N : idditional remark.		

Section 12. Ecologic	Information
-	\vailable
BOD5 and COD N	Available
Products of Po Biodegradation de	tibly hazardous short term degradation products are not likely. However, long term adation products may arise.
Toxicity of the Products of No Biodegradation	,————
Special Remarks on the No Products of Biodegradation	:Iditional remark.

Section 13. Disp	oosal	onsiderations
Waste Information		e must be disposed of in accordance with federal, state and local environmental control
Waste Stream	No.	vailable.



To the best of our knowledge, the viability whatsoever for the accuracy Final determination of sultability caution. Although certain hazards of	r completeness of the biformation contained herein.  In material is the sole responsibility of the user. All materials may present unknown hazards and should be used with			
Validated on 3/2/2007.	Glybet, Fresh and Clean	Page: 6/6		
Continued on Nex	Page			