The second secon

The second secon

UNSTABLE IXI WILL NOT OCCUR

PAGE 2

EMERGENCY TREATMENT PROCEDURES:

INGESTION:

DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

INHALATION:

REMOVE TO FRESH AIR. CALL PHYSICIAN.

SKIN CONTACT:

WASH THOROUGHLY WITH LARGE QUANTITIES OF SOAP AND WATER.

EYE CONTACT:

FLUSH WITH WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION

PERSONAL PROTECTION:

WEAR SAFETY GLASSES OR GOGGLES.

WEAR RUBBER OR PLASTIC GLOVES. SKIN:

VENTILATION:

SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

V. FLAMMABILITY AND EXPLOSIVE PROPERTIES

FLASH POINT: <20 DEG F (PROPELLANT) METHOD: T.O.C. EXPLOSIVE LIMITS( BY VOLUME IN AIR) LOWER: UNK & UPPER: UNK & RECOMMENDED EXTINGUISHING AGENTS: CO2, DRY CHEMICAL FOAM HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION:

CO, CO2, HYDROGEN CHLORIDE, PHOSGENE GAS UNUSUAL FIRE OR EXPLOSION HAZARDS:

WATER MAY BE INEFFECTIVE

COMPRESSED GASES:

NAME: ISOBUTANE/PROPANE

PRESBURE AT ROOM TEMPERATURE: 30 +/- 5 PSIG

VI. REACTIVITY DATA

STABILITY STABLE IXI

HAZARDOUS POLYMERIZATION: MAY OCCUR HAZARDOUS DECOMPOSITION PRODUCTS (NON-THERMAL):

DO NOT STORE ABOVE 120 DEG F

INCOMPATIBILITY:

NONE

VII. SPILL OR LEAK AND DISPOSAL PROCEDURES

STEPS TO HE TAKEN IN CASE OF SPILL OR LEAK:

REMOVE ALL SOURCES OF IGNITION, VENTILATE AREA AND SOAK UP IN ABSORBENT MATERIAL.

RECOMMENDED METHODS OF DISPOSAL:

DO NOT INCINERATE. DISPOSE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

CERCLA REPORTABLE OTY(IN LBS.): N/A

RCRA HAZARDOUS WASTE NO.: DOOL

VIII. STORAGE AND HANDLING PROCEDURES

STORAGE: DO NOT STORE ABOVE 120 DEG F. KEEP AT ROOM TEMPERATURE AS EXPOSURE TO HEAT MAY CAUSE BURSTING.

HANDLING: KEEP AWAY FROM CHILDREN. DO NOT PUNCTURE OR INCINERATE.

IX. SHIPPING REGULATIONS

TYPE OR CLASS: ORM-D

PROPER SHIPPING NAME: CONSUMER COMMODITY

TYPE OR CLASS: CLASS 2

PROPER SHIPPING NAME: AEROSOL, NON FLAMMABLE GAS N.O.S., UN1950

TYPE OR CLASS: CLASS 9

PROPER SHIPPING NAME: AEROSOL UN #: 1950

PAGE: 9022

#### MATERIAL SAFETY DATA SHEET

MANUFACTURERS NAME: MOTSENBOCKER'S ADVANCED DEVELOPMENTS, INC. (M.A.D., INC.) ADDRESS: P.O. BOX 90947

CITY, STATE, ZIP: SAN DIEGO, CA 92169

PHONE: (619) 581 0222 FAX: (619) 483-6965

24 HOUR EMERGENCY NUMBER: CHEMTREC : (800) 424-9300 CODE: MLDAMSDS

\* ATTN: SAFETY SUPERVISOR

DATE: 02/29/92

SUPERSEDES: 05/14/91

PAGE: 1

80568

I. PRODUCT IDENTIFICATION

PRODUCT NAME: MOTSENBOCKER'S LIFT OFF (R) AEROSOL

PART NO. 12448 UPC CODE: (77448) - 12448

12652 80568

12652

PRODUCT TYPE: PETROLEUM BASED CLEANER

II. COMPOSITION

INGREDIENTS TRADE SECRET U.S. PATENT #4306989 & FOREIGN PATENT #1149190 (REF. CFR 29 SEC. 1910.1200)

CAS. #

|---- ACGIH ---- | OSHA % WT. TLV.....STEL....PEL

350PPM 450PPM 350PPM 150PPM 100 PPM 100 PPM

N/E NONE N/E **ASPHYXIANTNONE** N/E

THESE INGREDIENTS ARE SUBJECT TO SARA TITLE III SECTION 313 REPORTING FOR SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND CFR PART 372.

#### III. CHEMICAL AND PHYSICAL PROPERTIES

VAPOR PRESSURE : N/A

VAPOR DENSITY : HEAVIER THAN AIR

SOLUBILITY IN WATER: PARTIAL

APPEARANCE APPEARANCE : COLORLESS LIQUID SPECIFIC GRAVITY : 0.95

BOILING POINT : 160-360 DEG. F

: DOES NOT APPLY PH

ODOR : PUNGENT

IV. TOXICITY AND HEALTH HAZARD DATA

TOXICITY: SKIN IRRITANT

UPPER RESPIRATORY IRRITANT

SEE SECTION II FOR LOCAL AND SYSTEMIC EFFECTS OF INDIVIDUAL COMPONENTS

CARCINOGENICITY: NTP : N

IARC MONOGRAPHS: N

OSHA REGULATED: N

HMIS HAZARD COMMUNICATION CODES: HEALTH (3) FIRE (4) REACTIVITY (0)

TLV: SEE SECTION II-COMPOSITION

PRIMARY ROUTES OF ENTRY:

SKIN, INGESTION, INHALATION

EXISTING CONDITIONS AGGRAVATED BY EXPOSURE;

NONE KNOWN

SYMPTOMS OF OVEREXPOSURE:

ACUTE EXPOSURE SYMPTOMS INCLUDE DIZZINESS, INCOORDINATION, DROWSINESS,

INCREASED REACTION TIME, UNCONSCIOUSNESS, AND DEATH.

#### MOTS

NGREDIENTS

TRADE SECRET

FOREIGN PENDING

#### MATERIAL SAFETY DATA SHEET

MANUFACTURERS NAME: MOTSENBOCKER'S ADVANCED DEVELOPMENTS, INC. (M.A.D., INC.)

CITY, STATE, ZIP: SAN DIEGO, CA 92169 PHONE: (519) 581 0222

FAX: (619) 483-6965

24 HOUR EMERGENCY NUMBER: CHEMTREC : (800) 424-9300

CODE: MLO1MSDS

\* ATTN: SAFETY SUPERVISOR

DATE: 07/28/92

SUPERSEDES: 00/00/00

PAGE: 1

### I. PRODUCT IDENTIFICATION

PRODUCT NAME: MOTSENBOCKER'S LIFT OFF (R) #1 PART NO. : 82181 60290

UPC CODE: (77448) - 82181 60290

PRODUCT TYPE: WATER BASED CLEANER

## . II. COMPOSITION

CAS. #

|---- ACGIH ----- | OSHA TI,V..... STEL.... PEL

NONE NONE NONE 25 PPM NONE 25 PPM

750 PPM 1000 PPM 1000 PPM

NONE NONE NONE

NONE NONE THESE INGREDIENTS ARE SUBJECT TO SARA TITLE III SECTION 313 REPORTING FOR

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND CFR PART 372.

# III. CHEMICAL AND PHYSICAL PROPERTIES

VAPOR PRESSURE : N/A VAPOR DENSITY

(REF. CFR 29 SEC. 1910.1200)

U.S. PATENT APPROVED &

: HEAVIER THAN AIR

SOLUBILITY IN WATER: SOLUBLE

VITY : 1.0 SPECIFIC GRAVITY : 1.0

BOILING POINT : 93 DEG C : 11.9-12.1 @ 23.8 C ODOR

: MII.D

IV, TOXICITY AND HEALTH HAZARD DATA

TOXICITY: SEVERE SKIN IRRITANT

UPPER RESPIRATORY IRRITANT CARCINOGENICITY: NTP

: N

IARC MONOGRAPHS: N OSHA REGULATED: N

HMIS HAZARD COMMUNICATION CODES: HEALTH (1) FIRE (2) REACTIVITY (1)

PRIMARY ROUTES OF ENTRY:

SKIN, INGESTION, INHALATION

EXIBTING CONDITIONS AGGRAVATED BY EXPOSURE:

NONE KNOWN SYMPTOMS OF OVEREXPOSURE:

OF OVEREXPOSURE: IRRITATING DUE TO DEFATTING ACTION ON SKIN. MAY CAUSE REDNESS, PAIN, DRYING AND CRACKING OF THE SKIN. PROLONGED OR REPEATED SKIN CONTACT MAY PRODUCE IRRITATION OR DERMATITIS.

EMERGENCY TREATMENT PROCEDURES:

INGESTION:

CO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

INHALATION:

REMOVE TO FRESH AIR. CALL A PHYSICIAN.

SKIN CONTACT:

WASH WITH SOAP AND WATER. CALL PHYSICIAN IF IRRITATION PERSISTS.

EYE CONTACT:

FLUSH WITH WATER FOR AT LEAST 15 MINUTES. ORTAIN MEDICAL ATTENTION. PERSONAL PROTECTION:

EYES: SAFETY GLASSES OR GOOGLES. SKIN: RUBBER OR PLASTIC GLOVES.

VENTILATION:

GOOD CROSS VENTILATION TO MAINTAIN CONCENTRATION LEVELS BELOW THE TLV.

#### V. FLAMMABILITY AND EXPLOSIVE PROPERTIES

FLASH POINT: 54-68 DEG F METHOD: CLOSED CUP EXPLOSIVE LIMITS(% BY VOLUME IN AIR) LOWER: UNK & UPPER: UNK RECOMMENDED EXTINGUISHING AGENTS: CO2, DRY CHEMICAL, FOAM HAZARDOUS FRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION:

CO, CO2, PHOSPHOROUS OXIDES, SODIUM OXIDES, TOXIC ORGANIC MATERIALS

UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN

COMPRESSED GASES: NAME: NONE

PRESSURE AT ROOM TEMPERATURE: DOES NOT APPLY

#### VI. REACTIVITY DATA

STABILITY: IXI STABLE HAZARDOUS POLYMERIZATION: I MAY OCCUR

I | UNSTABLE IXI WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS (NON-THERMAL):

NONE KNOWN

INCOMPATIBILITY:

STRONG ACIDS, OXIDIZERS, CHLOROFORM, ALKALIES, COMMON METALS

#### VII. SPILL OR LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

SOAK UP MATERIAL WITH A SUITABLE ABSORBENT. SWEEP UP THE ABSORBED MATERIAL AND PLACE IN A CLOSED CONTAINER UNTIL DISPOSAL. WEAR THE PROPER PROTECTIVE CLOTHING FOR SPILL CLEAN-UP.

RECOMMENDED METHODS OF DISPOSAL:

DISPOSE OF ACCORDING TO FEDERAL, STATE, PROVINCTAL, AND LOCAL LAWS AND REGULATIONS. DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

CERCLA REPORTABLE QTY(IN LBS.): N/A

RCRA HAZARDOUS WASTE NO.: N/A

#### VIII. STORAGE AND HANDLING PROCEDURES

STORAGE: STORE IN A COOL, DRY PLACE.

HANDLING: KEEP AWAY FROM CHILDREN. AVOID ALL SKIN AND EYE CONTACT. AVOID BREATHING VAPORS. DO NOT USE NEAR HEAT, SPARK, OR OPEN FLAME.

#### IX. SHIPPING REGULATIONS

TYPE OR CLASS: ORM-D

PROPER SHIPPING NAME: CONSUMER COMMODITY

PROPER SHIPPING NAME: NOT AVAILABLE
TYPE OR CLASS: NOT AVAILABLE
TYPE OR CLASS: NOT AVAILABLE

PROPER BHIPPING NAME: NOT AVAILABLE UN #: N/A

PAGE N/A

## MATERIAL SAFETY DATA SHEET

MANUFACTURERS NAME: MOTSENBOCKER'S ADVANCED DEVELOPMENTS, INC. (M.A.D., INC.) CITY, STATE, ZIP: SAN DIEGO, CA 92169

PHONE: (619) 581 0222 FAX: (619) 483-6965

24 HOUR EMERGENCY NUMBER: CHEMTREC : (800)424-9300 CODE: MLD2MSDS

\* ATTN: SAFETY SUPERVISOR

DATE: 07/28/92

SUPERSEDES: 10/01/91 PAGE: 1

I. PRODUCT IDENTIFICATION

PRODUCT NAME: MOTSENBOCKER'S LIFT OFF (R) #2

PART NO.: 52586 UPC CODE: (77448) - 52586
PRODUCT TYPE: PETROLEUM BASED CLEANER 11291 PRODUCT TYPE: PETROLEUM BASED CLEANER

II. COMPOSITION

INGREDIENTS TRADE SECRET U.B. PATENT # 4306989 & FOREIGN PATENT # 1149190 (REF. CFR 29 SEC. 1910.1200)

. |---- ACGIH ----- | OSHA % WT. TLV.....STEL....PEL

5 MG/M3 10 MG/M3 5 MG/M3 350 PPM 450 PPM 350 PPM 100 PPM 150 PPM 100 PPM 5 MG/M3 NONE 5 MG/M3 NONE NONE NONE

THESE INGREDIENTS ARE SUBJECT TO SARA TITLE III SECTION 313 REPORTING FOR SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND CFR PART 372.

CAS. #

III. CHEMICAL AND PHYSICAL PROPERTIES VAPOR PRESSURE

VAPOR PRESSURE : N/A
VAPOR DENSITY : HEAVIER THAN AIR

SOLUBILITY IN WATER: PARTIAL

APPEARANCE : COLORLESS LIQUID

SPECIFIC GRAVITY : 0.95

ODOR

BOILING POINT : 160-360 DEG. F
ODOR : DOES NOT APPLY DOES NOT APPLY
PUNGENT

IV. TOXICITY AND HEALTH HAZARD DATA

TOXICITY: SKIN IRRITANT

UPPER RESPIRATORY IRRITANT

CARCINOGENICITY: NTP : N
IARC MONOGRAPHS: N
OSHA REGULATED: N HMIS HAZARD COMMUNICATION CODES: HEALTH (3) FIRE (2) REACTIVITY (0)

PRIMARY ROUTES OF ENTRY:

SKIN, INGESTION, INHALATION EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:

SYMPTOMS OF OVEREXPOSURE:

ACUTE: DIZZINESS, INCOORDINATION, INCREASED REACTION TIME, UNCON-SCIOUSNESS, AND DEATH. CHRONIC: SEE TARGET ORGANS AND OTHER HEALTH EFFECTS IN SECTION II FOR CHRONIC OVEREXPOSURE SYMPTOMS.

SENBOCKER ADV DEV TEL:1-619-483-6965 Feb 08,93 18:19 No .001 P.09

EMERGENCY TREATMENT PROCEDURES:

INGESTION:

DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

INHALATION:

REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, CALL PHYSICIAN.

SKIN CONTACT:

WASH THOROUGHLY WITH LARGE QUANTITIES OF SOAP AND WATER.

EYE CONTACT:

FLUSH WITH WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION. PERSONAL PROTECTION: EYES: WEAR SAFETY GLASSES OR GOGGLES.

SKIN: WEAR RUBBER OR PLASTIC GLOVES.

BUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

# V. FLAMMABILITY AND EXPLOSIVE PROPERTIES

FLASH POINT: 150 DEG F
EXPLOSIVE LIMITS(% BY VOLUME IN AIR)
LOWER: 1 % UPPER: 11 % PLASH POINT: 150 DEG F METHOD: PENSKY MARTENS CLOSED CUI RECOMMENDED EXTINGUISHING AGENTS: CO2, DRY CHEMICAL FOAM HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION:

CO, CO2, HYDROGEN CHLORIDE, PHOSGENE GAS UNUSUAL FIRE OR EXPLOSION HAZARDS:

WATER MAY BE INEFFECTIVE

COMPRESSED GASES:

NAME: DOES NOT APPLY

PRESSURE AT ROOM TEMPERATURE: DOES NOT APPLY

## VI. REACTIVITY DATA

STABILITY: HAZARDOUS POLYMERIZATION: | MAY OCCUR HAZARDOUS DECOMPOSITION PRODUCTS (NON-THERMAL):

I I UNSTABLE

E Myst State 1

INCOMPATIBILITY:

STRONG CAUSTICS, OXIDIZERS, CHEMICALLY ACTIVE METALS, & OPEN FLAMES.

# VII. SPILL OR LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

CONTAIN SPILL USING INERT ABSORBANT. WEAR THE PROPER PROTECTIVE
CLOTHING. REMOVE ALL IGNITION SOURCES. AVOID CONTACT WITH OXIDIZERS.
ABSORB SPILL USING INERT ABORBANT. DO NOT ALLOW MATERIAL TO ENTER RECOMMENDED METHODS OF DISPOSAL:

INCINERATE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS. CERCLA REPORTABLE QTY(IN LBS.): N/A

RCRA HAZARDOUS WASTE NO.: N/A

# VIII. STORAGE AND HANDLING PROCEDURES

STORAGE: STORE IN A COOL, DRY PLACE.

HANDLING: KEEF AWAY FROM CHILDREN. AVOID BREATHING VAPORS. WEAR A NIOSH APPROVED RESPIRATOR FOR EXTENDED USE OR IN CONFINED AREAS.

#### IX. SHIPPING REGULATIONS

PROPER SHIPPING NAME: CONSUMER COMMODITY

TYPE OR CLASS: NOT AVAILABLE
'ROPER SHIPPING NAME: NOT AVAILABLE
TYPE OR CLASS: NOT AVAILABLE
ROPER SHIPPING NAME: NOT AVAILABLE

UN #: N/A

PAGE: N/A

# MATERIAL SAFETY DATA SHEET

MANUFACTURERS NAME: MOTSENBOCKER'S ADVANCED DEVELOPMENT'S, INC. (M.A.D., INC.) ADDRESS: P.O. BOX 90947

CITY, STATE, ZIP: SAN DIEGO, CA 92169 PHONE: (619) 581 0222

FAX: (619) 483-6965

24 HOUR EMERGENCY NUMBER: CHEMTREC : (800) 424-9300 CODE: MLD3MSDS

ATTN: SAFETY SUPERVISOR

DATE: 08/26/92

SUPERSEDES: 00/00/00

PAGE: 1

## I. PRODUCT IDENTIFICATION

PRODUCT NAME: MOTSENBOCKER'S LIFT OFF (R) #3

PART NO.: 10791 32569 UPC CODE: (77448) - 10791 32569

PRODUCT TYPE: WATER BASED CLEANER

#### II. COMPOSITION

!NGREDIENTS |---- ACGIH ----- | OSHA TRADE SECRET CAS. TLV.....STEL.....PEL (REF. CFR 29 SEC. 1910.1200) U.S. PATENT APPROVED & NONE NONE NONE 25 PPM 25 PPM FOREIGN PENDING 25 PPM 1.000 PPM 1000 PPM 750 PPM NONE NONE NONE NONE

THESE INGREDIENTS ARE SUBJECT TO SARA TITLE III SECTION 313 REPORTING FOR SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND CFR PART 372.

# III. CHEMICAL AND PHYSICAL PROPERTIES

VAPOR PRESSURE : N/A

VAPOR DENSITY SOLUBILITY : HEAVIER THAN AIR
APPEARANCE : CLEAR LIQUID
BOILING POINT : 1.0

BOILING POINT : 1.0 PH : 93 DEG C

: 11.9-12.1 @ 23.8 C ODOR

# IV. TOXICITY AND HEALTH HAZARD DATA

TOXICITY: SEVERE SKIN IRRITANT

UPPER RESPIRATORY IRRITANT

CARCINOGENICITY; NTP . TOTAL N SEASON

IARC MONOGRAPHS: N OSHA REGULATED: N HMIS HAZARD COMMUNICATION CODES: HEALTH (1) FIRE (2) REACTIVITY (1) TLV: SEE SECTION II FOR TLV'S

PRIMARY ROUTES OF ENTRY:

EXISTING CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

SYMPTOMS OF OVEREXPOSURE:

IRRITATING DUE TO DEFATTING ACTION ON SKIN. MAY CAUSE REDNESS, PAIN, DRYING AND CRACKING OF THE SKIN. PROLONGED OR REPEATED SKIN CONTACT MAY PRODUCE IRRITATION OR DERMATITIS.

MOTSENBOCKER ADV DEV TEL:1-619-483-6965 Feb 08.93 18:22 No.001 P.11

DACE 2

EMERGENCY TREATMENT PROCEDURES:

INGESTION:

DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

INHALATION:

REMOVE TO FRESH AIR. CALL A PHYSICIAN.

SKIN CONTACT:

WASH WITH SOAP AND WATER. CALL PHYSICIAN IF IRRITATION PERSISTS.

EYE CONTACT:

FLUSH WITH WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION.

PERSONAL PROTECTION:

EYES: SAFETY GLASSES OR GOGGLES. SKIN: RUBBER OR PLASTIC GLOVES.

VENTILATION:

GOOD CROSS VENTILATION TO MAINTAIN CONCENTRATION LEVELS BELOW THE TLV.

## V. FLAMMABILITY AND EXPLOSIVE PROPERTIES

FLASH POINT: 54-68 DEG F EXPLOSIVE LIMITS(% BY VOLUME IN AIR)

RECOMMENDED EXTINGUISHING AGENTS: CO2, DRY CHEMICAL, FOAM METHOD: CLOSED CUP HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION:

do, co2, PHOSPHOROUS OXIDES, SODIUM OXIDES, TOXIC ORGANIC MATERIALS UNUSUAL FIRE OR EXPLOSION HAZARDS:

NONE KNOWN

COMPRESSED GASES:

NAME: NONE

PRESSURE AT ROOM TEMPERATURE: DOES NOT APPLY

#### VI. REACTIVITY DATA

STABILITY:

IXI STABLE

UNSTABLE IXI WILL NOT OCCUR

HAZARDOUS POLYMERIZATION: | X STABLE
HAZARDOUS DECOMPOSITION PRODUCTS | MAY OCCUR HAZARDOUS DECOMPOSITION PRODUCTS (NON-THERMAL):

NONE KNOWN

INCOMPATIBILITY:

STRONG ACIDS, OXIDIZERS, CHI.OROFORM, ALKALIES, COMMON METALS

## VII. SPILL OR LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

SOAK UP MATERIAL WITH A SUITABLE ABSORBENT. SWEEP UP THE ABSORBED MATERIAL AND PLACE IN A CLOSED CONTAINER UNTIL DISPOSAL. WEAR THE PROPER PROTECTIVE CLOTHING FOR SPILI, CLEAN-UP.

RECOMMENDED METHODS OF DISPOSAL:

DISPOSE OF ACCORDING TO FEDERAL, STATE, PROVINCIAL, AND LOCAL LAWS AND REGULATIONS. DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO

CERCLA REPORTABLE QTY(IN LBS.):

RCRA HAZARDOUS WASTE NO.: N/A

#### VIII. STORAGE AND HANDLING PROCEDURES

STORAGE: STORE IN A COOL, DRY PLACE.

HANDLING: KEEP AWAY FROM CHILDREN. AVOID ALL SKIN AND EYE CONTACT. AVOID BREATHING VAPORS. DO NOT USE NEAR HEAT, SPARK, OR OPEN FLAME.

#### IX. SHIPPING REGULATIONS

TYPE OR CLASS: ORM-D

PROPER SHIPPING NAME: CONSUMER COMMODITY

PROPER SHIPPING NAME: NOT AVAILABLE
TYPE OR CLASS: NOT AVAILABLE

PROPER SHIPPING NAME: NOT AVAILABLE

UN #: N/A

P N.