463282001 PO NBR: 98970

\*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*

Nickel (II) Nitrate Hexahydrate

16370

\*\*\*\* SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION \*\*\*\*

MSDS Name: Nickel(II) Nitrate Hexahydrate Catalog Numbers: 8801051, N62-500

Synonyms:
Nickelous nitrate hexahydrate; Nitric acid, nickel(II) salt hexahydrate; Nickel dinitrate hexahydrate.
Company Identification: Fisher Scientific 1 Reagent Lane

Fairlawn, NJ For information, call: 201-796-7100 Emergency Number: 201-796-7100

Emergency Number: 201-796-7100 For CHEMTREC assistance, call: 800-424-9300

For International CHEMTREC assistance, call: 703-527-3887

\*\*\*\* SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS \*\*\*\*

CAS#	Chemical Name	*	EINECS#
13138-45-9	Nickel nitrate (2+ salt), anhydrous	-	236-068-5
13478-00-7	Nickel dinitrate hexahydrate	100	unlisted

Hazard Symbols: XN O Risk Phrases: 22 40 8

\*\*\*\* SECTION 3 - HAZARDS IDENTIFICATION \*\*\*\*

## EMERGENCY OVERVIEW

Appearance: emerald green solid.

Danger! Strong oxidizer. Contact with other material may cause a fire. Causes respiratory tract irritation. Cancer suspect agent. May be harmful if swallowed. May cause lung damage. Causes eye and skin irritation. Target Organs: Central nervous system, lungs, eyes, skin, mucous membranes.

Potential Health Effects

Eve:

May cause eye irritation. May cause conjunctivitis.

Skin:

Causes skin irritation. May cause severe irritation and possible burns. May cause dermatitis.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause liver and kidney damage.

Inhalation:

Dust is irritating to the respiratory tract. May cause methemoglobinemia, cyanosis, convulsions, tachycardia, dyspnea (labored breathing), and death.

Prolonged inhalation may cause respiratory tract inflammation and lung damage. Prolonged or repeated skin contact may cause sensitization dermatitis and possible destruction and/or ulceration. May cause respiratory tract cancer.

\*\*\*\* SECTION 4 - FIRST AID MEASURES \*\*\*\*

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if

irritation develops or persists.

Ingestion:

If victim is conscious and alert, give 2-4 cupfuls of milk or water.

Never give anything by mouth to an unconscious person. Get medical aid immediately.

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. Notes to Physician:

Treat symptomatically and

\*\*\*\* SECTION 5 - FIRE FIGHTING MEASURES \*\*\*\*

General Information, As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full

PAGE: 2

DATE: 08/17/05 INDEX: D52252898

ACCT: 463282001 CAT NO: 8801051

PO NBR: 98970

protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Substance is nonflammable. Oxidizer. Greatly increases the burning rate of combustible materials. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode if exposed to fire.

Extinguishing Media:

Use water spray to cool fire-exposed containers. Substance is

Extinguishing Media:

Use water spray to cool fire-exposed containers. Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. For large fires flood fire with water from a distance. Do NOT use dry chemicals, CO2, Halon or foams.

Autoignition Temperature:Not applicable.
Flash Point:

Not applicable.
Explosion Limits, lower:Not available.
Explosion Limits, lower:Not available.
NFPA Rating: (estimated) Health: 2; Flammability: 0; Instability: 1; Specia

\*\*\*\* SECTION 6 - ACCIDENTAL RELEASE MEASURES \*\*\*\*

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways Clean up spills immediately, observing precautions in the Protective Equipment section. Wear a self contained breathing apparatus and appropriate Personal protection. (See Exposure Controls, Personal Protection section). Avoid generating dusty conditions. Remove all sources of ignition. Carefully scoop up and place into appropriate disposal container. Provide ventilation.

\*\*\*\* SECTION 7 - HANDLING and STORAGE \*\*\*\*

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Wash clothing before reuse. Do not breathe dust or fumes. Use only with adequate ventilation.

Storage:
Do not store near combustible materials. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from reducing agents.

\*\*\*\* SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION \*\*\*\*

Engineering Controls:
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELS
Nickel nitrate (2+ selt), anhydrous	none listed	0.015 mg/m3 TWA (as Ni) (listed under ** no name **).10 mg/m3 IDLH (as Ni) (listed under ** no name **).	1 mg/m3 TWA (as Ni) (listed under ** no name **).
Nickel dinitrate he xahydrate	none listed	0.015 mg/m3 TWA (as Ni) (listed under ** no name **).10 mg/m3 IDLH (as Ni) (listed under ** no name **).	1 mg/m3 TWA (as Ni) (listed under ** no name **).

OSHA Vacated PELs: Vactated ristrate (2+ salt), anhydrous: 0.1 mg/m3 TWA (as Ni) (listed under \*\* no name \*\*) Nickel dinitrate hexahydrate: 0.1 mg/m3 TWA (as Ni) (listed under \*\* no name \*\*)

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Wear appropriate protective gloves to prevent skin exposure.

Clothing:

Addition to Albertain His

2.56

2.563

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste.
US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

\*\*\*\* SECTION 14 - TRANSPORT INFORMATION \*\*\*\*

US DOT

Color: Odor:

2,565

possible). WGK (Water Danger/Protection)

CAS# 13138-45-9: 2 CAS# 13478-00-7: No information available. United Kingdom Occupational Exposure Limits

2:566

PAGE: 4

medical advice immediately (show the label where

United Kingdom Maximum Exposure Limits
CAS# 13138-45-9: MEL-United Kingdom, TWA (listed as \*\* undefined \*\*): 0.1 mg/m3 TWA (as Ni)

PAGE: 5 08/17/05 463282001 DATE: ACCT: CAT NO: 8801051 PO NBR: 98970 INDEX: Canada CAS# 13138-45-9 is listed on Canada's DSL List. This product has a WHMIS classification of C, D2A. CAS# 13138-45-9 is listed on Canada's Ingredient Disclosure List. CAS# 13478-00-7 is not listed on Canada's Ingredient Disclosure List. Exposure Limits
CAS# 13138-45-9: OEL-ARAB Republic of Egypt:TWA 0.1 mg(Ni)/m3 CAS# 13138-45-9: OEL-ARAB Republic of Egypt:TWA 0.1 mg(Ni)/m3
OEL-BUSTRALIA:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-BELGIUM:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-BELGIUM:TWA 1 mg(Ni)/m3
OEL-CZECHOSLOVAKIA:TWA 0.05 mg(Ni)/m3;STEL 0.25 mg(Ni)/m3
OEL-CZECHOSLOVAKIA:TWA 0.05 mg(Ni)/m3;Carcinogen
OEL-DENMARK:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-FINLAND:TWA 0.1 mg(Ni)/m3,Carcinogen
OEL-FINLAND:TWA 0.1 mg(Ni)/m3;Carcinogen
OEL-FRANCE:TWA 1 mg(Ni)/m3
OEL-GRANCE:TWA 1 mg(Ni)/m3
OEL-GRANCY:STEL 0.005 mg(Ni)/m3;CAR (insoluble compounds)
OEL-HUNGARY:STEL 0.005 mg(Ni)/m3;Carcinogen
OEL-HUNGARY:STEL 0.005 mg(Ni)/m3;Carcinogen
OEL-JAPAN:TWA 1 mg(Ni)/m3;Carcinogen
OEL-JAPAN:TWA 1 mg(Ni)/m3;Carcinogen
OEL-TENETHERLANDS:TMA 0.1 mg(Ni)/m3 OEL-JAPAN:TWA 1 mg(Ni)/m3;Carcinogen
OEL-THE NETHERLANDS:TWA 0.1 mg(Ni)/m3
OEL-THE NETHERLANDS:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-THE PHILIPPINES:TWA 1 mg(Ni)/m3
OEL-RUSSIA:STEL 0.05 mg(Ni)/m3
OEL-SWEDEN:TWA 0.5 mg(Ni)/m3
OEL-SWEDEN:TWA 0.5 mg(Ni)/m3
OEL-SWITZERLAND:TWA 0.5 mg(Ni)/m3;Carcinogen JAN9
OEL-TAILAND:TWA 0.5 mg(Ni)/m3 (insoluble compounds)
OEL-TAILAND:TWA 0.5 mg(Ni)/m3 (insoluble compounds)
OEL-UNITED KINGDOM:TWA 0.5 mg(Ni)/m3
OEL-UNITED KINGDOM:TWA 1 mg(Ni)/m3
OEL-UNITED KINGDOM:TWA 1 mg(Ni)/m3
OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA check ACGIH TLV
OEL IN NEW ZEALAND; SINCAPORE, VIETNAM check ACGI TLV
CAS# 13478-00-7: OEL-ARAB Republic of Egypt:TWA 0.1 mg(Ni)/m3
OEL-SWITZERLIANTS TWA 1 mg(Ni)/m3 CAS# 13478-00-7: OEL-ARAB Republic of Egypt:TWA 0.1 mg(Ni)/m3
OEL-SUSTRALIA:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-BELGIUM:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-BELGIUM:TWA 1 mg(Ni)/m3
OEL-CZECHOSLOVAKIA:TWA 0.05 mg(Ni)/m3;STEL 0.25 mg(Ni)/m3
OEL-DENMARK:TWA 0.05 mg(Ni)/m3;Carcinogen
OEL-DENMARK:TWA 1 mg(Ni)/m3 (insoluble compounds)
OEL-FINLAND:TWA 0.1 mg(Ni)/m3;Carcinogen
OEL-FINLAND:TWA 0.1 mg(Ni)/m3;Skin;CAR (insoluble compounds)
OEL-FRANCE:TWA 1 mg(Ni)/m3;Skin;CAR (insoluble compounds)
OEL-FRANCE:TWA 1 mg(Ni)/m3;Skin;CAR (insoluble compounds)

OEL-FRANCE:TWA 1 mg(Ni)/m3
OEL-GERMANY;Carcinogen
OEL-HUNGARY;STEL 0.005 mg(Ni)/m3;Carcinogen
OEL-HUNGARY;STEL 0.005 mg(Ni)/m3;Carcinogen
OEL-JAPAN:TWA 1 mg(Ni)/m3,Carcinogen
OEL-THE NETHERLANDS:TWA 0.1 mg(Ni)/m3
OEL-THE NETHERLANDS:TWA 1 mg(Ni)/m3
OEL-THE PHILIPPINES:TWA 1 mg(Ni)/m3
OEL-THE PHILIPPINES:TWA 1 mg(Ni)/m3
OEL-SWEDEN:TWA 0.5 mg(Ni)/m3
OEL-SWEDEN:TWA 0.5 mg(Ni)/m3
OEL-SWITZERLAND:TWA 0.5 mg(Ni)/m3
OEL-SWITZERLAND:TWA 0.5 mg(Ni)/m3
OEL-SWITZERLAND:TWA 0.5 mg(Ni)/m3;Carcinogen JAN9
OEL-THAILAND:TWA 1 mg(Ni)/m3
OEL-SWITZERLAND:TWA 0.5 mg(Ni)/m3;Carcinogen JAN9
OEL-THAILAND:TWA 1 mg(Ni)/m3
OEL-UNITED KINGDOM:TWA 0.5 mg(Ni)/m3 (insoluble compounds)
OEL-UNITED KINGDOM:TWA 0.5 mg(Ni)/m3
OEL IN ISOLUBRIA; OLOMBIA, JORDAN, KOREA check ACGIH TLV
OEL IN NEW ZEALAND, SINGAPORE, VIETNAM check ACGIT TLV

\*\*\*\* SECTION 16 - ADDITIONAL INFORMATION \*\*\*\*

MSDS Creation Date: 8/06/1998 Revision #2 Date: 3/13/2002

The information above is believed to be accurate and represents the best The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.