

Curtin Matheson Scientific, Inc. 1225 N MICHAEL DRIVE

WOOD DALE, IL 60191-1019

MAIL TO:

SCHOOLCRAFT COLLEGE

HPS MEMBER 18600 HAGGERTY RD.

I TVONTA MT 48152-2696

MATERIAL SAFETY DATA SHEET

LIVUNIA, MI 48152-2696	
SECTION	1 - NAME AND PRODUCT
MANUFACTURER NAME AND ADDRESS	CHEMICAL NUMBER:
BD VACUTAINER SYSTEM	ITEM NUMBER: 0256542
BOX 818	VNDR CATLG NBR: BD-5973
	ENTRY DATE: 04-08-91
RUTHERFORD NJ 07070	CHANGE DATE: 09-30-92
EMERGENCY PHONE NJ 07070 201-460-2615	PO NUMBER: P0078620
COMMON NAME (ON LABEL)	CHEMICAL FAMILY
MICROTAINER BRAND TUBES (5961,5973)	DOES NOT APPLY
TRADE NAME & SYNONYMS	CHEMICAL FORMULA
MICROTAINER BRAND TUBES (5961, 5973)	DOES NOT APPLY
MICROTAINER, TRADEMARK OF THE BECTIN	
DICKINSON AND COMPANY	

CAS	% (WT)	TLV	PEL
2001-94-7	100.00	. OOO NONE	.000 NONE
	7 %		
	221716.2		

PEL: Permissible Exposure Limit established by the Occupational Safety and Health Administration (OSHA).

TLY: Threshold Limit Value established by the American Conference of Governmental Industrial Hygienists, 1986-87.

OTHER INGREDIENT INFORMATION
MICROTAINER BRAND TUBES (5961, 5973) CONTAINS: 100% EDTA

DIPOTASSIUM SALT.

BOILING POINT	VOLATILE BY VOLUME (%)	VAPOR PRESSURE	
N/D	N/D	N/D	
MELTING POINT	VAPOR DENSITY	SOLUBILITY IN WATER	
N/D	N/D	SOLUBLE	
EVAPORATION RATE (=	1) SPECIFIC GRAVITY		
N/D	N/D		

OTHER PHYSICAL DATA REACTIVITY IN WATER: N/D

SECTION	N 4 - FIRE AND EXPLOSION DATA
LASH POINT	
N/D	
LOWER EXPLOSIVE LIMIT	UPPER EXPLOSIVE LIMIT
N/D	N/D
XTINGUISHING MEDIA USE EXTINGUISHING MEDIA APPROPRIATE FOR SU	URROUNDING FIRE.
	아이에 보다 그렇게 되었다. 그렇게 하다면서 하다면 하다 다른데 다른데 되었다.
INICIAL ETDE AND EVELOCION HATADA	
NUSUAL FIRE AND EXPLOSION HAZARDS	
PECIAL FIRE FIGHTING PROCEDURES	
SECTI	ION 5 - HEALTH HAZARD DATA
EALTH HAZARDS (ACUTE & CHRONIC) SEE SIGNS AND SYMPTOMS OF EXPOSURE.	
SEE SIGNS AND SYMPTOMS OF EXPOSURE.	
RIMARY ROUTES OF EXPOSURE EYE, SKIN, INTRAVENOUS	
IGNS AND SYMPTOMS OF EXPOSURE ACUTE: IRRITATION OR CORROSIVE ACTION ON SUBSTEEMINED.	KIN/EYES WITH CONTACT. CHRONIC: NOT

NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	Po Yes ₩ No		₽ No OSHA	\□ Yes \
DGENICITY ATERIAL IS NOT LISTED AS CANCER CAUSING AGENT. NCY AND FIRST AID PROCEDURES ID SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CHAN IMMEDIATELY.		IARC → Yes	⊠ No OSHA	Yes ₹
DGENICITY ATERIAL IS NOT LISTED AS CANCER CAUSING AGENT. NCY AND FIRST AID PROCEDURES ID SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CHAN IMMEDIATELY.		IARC _{□ Yes}	₩ No OSHA	□ Yes 🔀
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.		IARC → Yes	_{No} OSHA	Yes ₹
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.		IARC _{□ Yes}	⊠ No OSHA	\□ Yes \\
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.		IARC Yes	_{No} OSHA	Yes ₹
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.		IARC _{□ Yes}	_⊠ No OSHA	Ves ₹
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.		IARC Yes	_{NO} OSHA	Yes 🔀
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.		TARC Yes	⊠ No OSH	¹□ _{Yes} <u>⊽</u>
NCY AND FIRST AID PROCEDURES ND SKIN: WASH WITH LARGE AMOUNTS OF WATER; GET MEDICAL ATTANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.				
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	TENTION.			
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	TENTION.			
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	TENTION.			
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	TENTION.			
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	TENTION.	•	9	
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.	TENTION.			
TANEOUS INJECTION: CONTACT A CIAN IMMEDIATELY.				
THE STATE A TONIOUTY DATA				
THE ATTERNATION ATTACHMENT BATA				
THE ATTENDANT OF THE PARTY BATA				
TO A THITTE / TOYICITY DATA	•			
HOLD LIMITS / TUXICITY DATA		20		
HOLD LIMITS / TOXICITY DATA ESTABLISHED.				
SECTION 6 - REACTI	VITY DATA	•		
LITY Unstable Stable T				
PATIBILITY (MATERIALS TO AVOID)				

SECTION 8 - SPECIAL PROTECTION INFORMATION (CONTINUED)	
OTHER VENTILATION GENERAL ROOM VENTILATION	
PROTECTIVE GLOVES	
NOT REQUIRED, MAY BE USED IF CONTACT WITH POWDER EXISTS.	
EYE PROTECTION NOT REQUIRED, BUT SHOULD BE USED WHEN POTENTIAL OF EYE CONTACT IS PRESENT.	
OTHER PROTECTIVE CLOTHING OR EQUIPMENT EMERGENCE EYE BATH IS RECOMMENDED WHERE THERE IS A POSSIBILITY OF EYE CONTACT.	
EWENGENCE ETE BATH IS RECOMMENDED WHERE THERE IS A POSSIBILITY OF ETE CONTACT.	
	10.00
SECTION 9 - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE STORE AND HANDLE ACCORDING TO PACKAGED INSTRUCTIONS.	
STORE AND HANDLE ACCORDING TO PACKAGED INSTRUCTIONS.	
SECTION 10 - OTHER INFORMATION	
MISCELLANEOUS INFO. N/D = NOT DETERMINED. N/D = NOT GIVEN.	
N/A = NOT APPLICABLE.	

THE INFORMATION, DATA AND RECOMMENDATIONS CONTAINED HEREIN WERE PROVIDED TO CMS BY THE MANUFACTURER NAMED ON THIS MATERIAL SAFETY DATA SHEET. CMS MAKES NO WARRANTY OF ANY KIND WHATEVER WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. CMS RESERVES THE RIGHT TO REVISE THIS MATERIAL SAFETY DATA SHEET AS NEW INFORMATION IS PROVIDED TO IT BY ITS MANUFACTURER.