## Huntington. MATERIAL SAFETY DATA SHEET

SECTION	I - IDENTITY
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.
Huntington Laboratories, Inc.	219/356-8100
ADDRESS (Number, Street, City, State, and Zip Code) 970 East Tipton Street, Huntington, Indi	ana 46750
CHEMICAL NAME AND SYNONYMS N/A	TRADE NAME AND SYNONYMS Umbrella Contrast Floor Polish
CHEMICAL FAMILY	FORMULA

	SECTION II - HAZARDOUS INGREDIENTS	-	
CAS NO.	PRINCIPAL HAZARDOUS COMPONENT(S)	%	TLV (Units)
111-90-0	Diethylene glycol monoethyl ether acetate	2.7	N/A
616-45-5	2-Pyrrolidone	0.2	N/F
50-00-0	Formaldehyde	0.1	5 ppm.

SEC	CTION III -	PHYSICAL DATA		
BOILING POINT (°F.)	212	SPECIFIC GRAVITY (H <sub>2</sub> O = 1)		1.03
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT, VOLATILE BY VOLUME (%)		80-90
VAPOR DENSITY (AIR = 1)	N/A	EVAPORATION RATE ( = 1)	155	N/A
SOLUBILITY IN WATER 100 parts/10	0 parts	REACTIVITY IN WATER		None
APPEARANCE AND ODOR   Milky liqui	d, ammoni	a odor	pH	8.2-8.7

FLASH POINT (Method used) None	FLAMMABLE LIMITS LOWER	UPPER
EXTINGUISHING MEDIA N/A	AUTO-IGNITION TEMPERATURE N/A	
SPECIAL FIRE FIGHTING PROCEDURES N/A		
UNUSUAL FIRE AND EXPLOSION HAZARDS None		

.0.1-0.1	•	SECT	ION V - PH	IYSICAL HAZARDS	
STABILITY	UNSTABLE		CONDITIONS TO AVOID		
	STABLE	LE X		1	<del>-</del>
INCOMPATABILI	TY (Materials to	avoid) None	9		
HAZARDOUS DE	COMPOSITION	PRODUCTS	None		
HAZARDOUS POLYMERIZATION	MAY	OCCUR		CONDITIONS TO AVOID	
	N WILL	NOT OCCUR	×		

THOSONOLD	SECTION VI - HEAL	TH HAZARD DATA	
THRESHOLD LI	N/A		
Effects of Overe 1. Inhalation	Should not cause breath	ing problems.	
2. Eyes	May cause irritation.		
3. Skin	May cause irritation.		
4. Ingestion	May be harmful if swallowed.		
Chemical Listed or Potential Card	as Carcinogen National Toxicology Yes inogen Program No	☐ I.A.R.C. Yes ☐ OSHA	Yes \( \tau \)
OSHA Permissib Exposure Limit		Other Exposure Limit Used N/A	140 24
Emergency and First Aid Procedu		Emili osca Ny /	
1 Inholation	Move to fresh air.		
2. Eyes	Flush with flowing water for 15	minutes If innitation newsi	ctc call
3. Skin		minutes. If irritation persi	physician
4. Ingestion	Flush with flowing water.		120000
	Drink milk or water.		
	SECTION VII - SPILL OF	LEAK PROCEDURES	
STEPS TO BE T	AKEN IN CASE MATERIAL IS RELEASED OR SPI	ILLED	
Mop up. Ri	nse with water.		
WASTE DISPOSA	AL METHOD		
Flush down	drain. Large amounts to sanita	ary landfill	411
	arami zarge ameanes co santico	ing randi i i i	
	SECTION VII - SPECIAL PRO	OTECTION INFORMATION	7
	PROTECTION (Specify type) None require	≥d	
VENTILATION Normal	LOCAL EXHAUST	SPECIAL	
	MECHANICAL (General)	OTHER	
PROTECTIVE GL	OVES None required	EYE PROTECTION	
OTHER PROTEC	TIVE EQUIPMENT None required	None required.	
	SECTION IX - SPECIA	AL DECAUTIONS	
PRECAUTION TO	BE TAKEN IN HANDLING AND STORING	AL PRECACTIONS	
Store betwe	en 35º F 90ºF.		
OTHER PRECAU			
	/ rom children	•	
	lam   Hannia	Tachaia 1 Coming	
77		Technical Service Manager	
ignature (	on S. Harris De	ateApril 1, 1986	
	/		

HUNTINGTON LABORATORIES, INC., Huntington, IN 46750

Lansdale, PA 19446 • Dallas, TX 75227 • Oakland, CA 94621

• Bramalea, Ontario, Canada L6T-1E3