

# MATERIAL HEALTH AND SAFETY DATA SHEET

I.

Product <b>Unicolor 2-Step Kit</b>	Chemical Formula <b>Blix Part B solution</b>	
Other Names		
Manufacturer - Name <b>Unicolor Division/Photo Systems, Inc.</b>		
Address <b>7200 Huron River Drive Dexter, Michigan 48130</b>		
Emergency Phone No. <b>(313) 426-4646</b>	Name of Contact <b>Dr. Robert E. Chapman</b>	

II.

## COMPONENTS

Chemical Ingredients	TLV	%
Acetic Acid	10 ppm	25-30
Other non-hazardous ingredients or chemicals below 1% each		
(Include any chemicals listed in the ACGIH TLV Booklet or Ontario Government Regulation)		

III.

## HEALTH HAZARD INFORMATION

ROUTE		EFFECTS (INCLUDE BOTH IMMEDIATE AND LONG-TERM EFFECTS)
INHALATION	<input checked="" type="checkbox"/>	Breathing of vapors may cause irritation of nose and throat.
EYE CONTACT	<input checked="" type="checkbox"/>	Contact with eyes may cause burns.
SKIN CONTACT	<input checked="" type="checkbox"/>	Contact with skin may cause burns.
SKIN ABSORPTION	<input type="checkbox"/>	
INGESTION	<input type="checkbox"/>	

IV.

## HANDLING PRECAUTIONS

Standard precautions for safe handling of chemicals. Rubber gloves recommended.  
Adequate ventilation advised.

(Include recommendations for personal protective equipment and controls)

Boiling Point approx. 212°F

Flashpoint N.A.

Flammable Limits N.A.

LEL  
UEL

REACTIVITY

STABLE <input checked="" type="checkbox"/>	UNSTABLE <input type="checkbox"/>	HAZARDOUS DECOMPOSITION PRODUCTS	INCOMPATIBILITY
	(List conditions to avoid)  NONE	(List)  NONE	(List materials to avoid)  NONE

EMERGENCY AND FIRE FIGHTING PROCEDURE

VI. SPILLAGE CLEAN-UP AND WASTE DISPOSAL PROCEDURE

Flush to sewer with copius amounts of water. State and local effluent laws take precedence.

VII. FIRST AID

INHALATION	Remove to fresh air.
EYES	Flush eyes with water for at least 15 minutes. CALL PHYSICIAN.
SKIN	Wash skin with water.
INGESTION	DO NOT induce vomiting. CALL PHYSICIAN.

VIII. STORAGE INSTRUCTIONS

Store away from children.

IX. ADDITIONAL INFORMATION

Date 9/1/81

Signed

*F. H. Hagan*