

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration (Non-Mandatory Form)

IDENTITY (As Used on Label and List)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
FT 6080/6085 TONER	

Section 1

Manufacturer's Name Ricoh Company, LTD.	Emergency Tel.No. 03-777-8111, Japan
	Tel.No. for information Ditto
	Date Prepared Sep. 5, 1986
Address 1-3-6, Nakagome, Ota-ku, Tokyo, Japan	

Section II - Hazardous ingredients/Identify Information

Hazardous Components (Specific Chemical Identity; Common Name(s))							
Ingredients	Contents (%)	ACGIH TLV	Hazardous chemical		Carcinogens		
			ACGIH	OSHA	OSHA	NTP	IARC
Carbon black	13	3.5mg/m ³ ★	○	○	X	X	X
(CAS# 1333-86-4)							
Styrene, acrylic polymer	85	X	X	X	X	X	X
(CAS# Confidential)							
Dye	2	X	X	X	X	X	X
(CAS# Confidential)							
Note: X.....Not Listed, ○.....Listed. ★.....Time weighted average							

Section III-Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity($H_2O=1$) Bulk density	0.34
Vapor Pressure(mmHg.)	N/A	Melting Point	No data
Vapor Density(AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	N/A
Solubility in water Negligible: Less than 0.1%			
Appearance and Odor Black powder, no odor			

Section IV-Fire and Explosion Hazard Data

Flash Point(Method used)	Flammable limits(%)	LEL	UEL
N/A	N/A		
Extinguishing Media Foam, water spray(fog), dry chemical or carbon dioxide may be suitable.			
Special Fire Fighting Procedures No special fire fighting procedure is necessary.			
Unusual Fire and Explosion Hazards Will not occur.			

Section V-Reactivity Data

Stability	Unstable		Condition to avoid
	Stable	X	
Incompatibility(Materials to avoid) None			
Hazardous Decomposition or Byproduct Carbon monoxide and other decomposition product in case of incomplete combustion.			

Section VI-Health Hazard Data

Route(s) of Entry:	Inhalation ?	Skin ?	Ingestion ?
	X		
Health Hazards(Acute and Chronic) Acute oral toxicity: Greater than 10g/kg bodyweight Skin irritation(rabbit): Mildly irritating Ames test result: Negative			
Carcinogenicity: NTP ?, IARC Monograph ?, OSHA Regulated ? See Section II			

Signs and Symptoms of Exposure

None under normal use condition

Medical Conditions Generally Aggravated by Exposure

Will not occur.

Emergency and First Aid Procedures

Contact with skin: Wash thoroughly with soap and water.

Eye contact : Try to remove or flush out with eye drops. If unsuccessful, get medical attention.

Section VII-Precautions for Safe Handling and Use**Steps to Be Taken in Case Material Is Released or Spilled**

If spilled, sweep up or pick up by vacuum cleaner. Remove residue with soap and cold water.

Waste Disposal Method

Used toner should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Do not incinerate.

Precautions to Be Taken in Handling and Storing

Store in cool and dry place. Keep out of reach of children.

Other Precautions

Do not handle in areas where wind blows. Flying powder may enter eyes. Minimize inhalation of dust.


Section VII-Control Measures

Respiratory Protection(Specify Type) None needed under normal use condition		
Ventillation	Local Exhaust None needed under normal use condition	Special None needed
	Mechanical(General) Adequate ventilation	Other None needed
Protective Gloves None needed under normal use condition		Eye Protection None needed
Other Protective Clothing or Equipment None needed		
Work/Hygiene Practices Minimize breathing dust. Cleanse skin thoroughly after contact, before breaks and meals, and at the end of work period.		

Page(4) FT 6080/6085 TONER

The information and recommendations contained herein, to the best of Ricoh's knowledge and belief, accurate and reliable as of the date issued. Ricoh does not warrant or guarantee their accuracy or reliability, and Ricoh shall not be liable for any loss or damage arising out of the use thereof.

The information and recommendations are offered for the user's responsibility to satisfy itself that they are suitable and complete for its particular use.



S. Shimizu

General Manager

P.L.P. Office, QC Division