# **KLEENEX® Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 10-18-2016 100000003190 Date of first issue: 08-10-2015

#### **SECTION 1. IDENTIFICATION**

Product name : KLEENEX® Instant Hand Sanitizer

Product code : 34086, 93060

Manufacturer or supplier's details

Company name of supplier : Kimberly-Clark Corporation

Address : 1400 Holcomb Bridge Road,

Roswell, GA 30076-2199

Telephone : 1-888-346-6452

Emergency telephone : 1-877-561-6587

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Serious eye damage/eye

irritation

: Category 2B

**GHS Label element** 

Hazard pictograms



Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H320 Causes eye irritation.

Precautionary Statements : **Prevention:** 

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking. **Response:** 

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion. Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

# **KLEENEX® Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015

1.1 10-18-2016 100000003190 Date of first issue: 08-10-2015

posal plant.

#### Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 65.1647 %

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 65.1647 %

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## **Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 60 - < 70

#### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed, DO NOT induce vomiting.

Drink 1 or 2 glasses of water.

If symptoms persist, call a physician or Poison Control Center

immediately.

Most important symptoms and effects, both acute and

delayed

: No information available.

Notes to physician : No information available.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: Water spray jet

Hazardous combustion prod-

ucts

: Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

# **KLEENEX® Instant Hand Sanitizer**

Version **Revision Date:** MSDS Number: Date of last issue: 08-10-2015 10-18-2016 10000003190 Date of first issue: 08-10-2015 1.1

Specific extinguishing meth-

ods

: Standard procedure for chemical fires.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : Not required under normal use.

tive equipment and emer-

gency procedures

No conditions to be specially mentioned.

#### **SECTION 7. HANDLING AND STORAGE**

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : gel

Color : clear

Odor : pleasant

рН : 7

Melting point/range : -114 °C

Boiling point/boiling range : 78 °C

Flash point : 16 °C

Upper explosion limit : 19 %(V)

Lower explosion limit : 3.3 %(V)

Vapor pressure : 60 hPa

# **KLEENEX® Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 10-18-2016 100000003190 Date of first issue: 08-10-2015

Solubility(ies)

Solubility in other solvents : completely soluble

#### **SECTION 10. STABILITY AND REACTIVITY**

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Ingredients:** 

**Ethanol:** 

Acute oral toxicity : LD50 (Rat, female): 15,000 mg/kg

Carcinogenicity

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Ingredients:** 

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14.2 g/l

Exposure time: 96 h

# **KLEENEX® Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 10-18-2016 100000003190 Date of first issue: 08-10-2015

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h Test Type: static test

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

No data available

## Mobility in soil

No data available

#### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

## **SECTION 14. TRANSPORT INFORMATION**

## International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

## **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

SARA 311/312 Hazards : Fire Hazard

California Prop 65 : This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

# **KLEENEX® Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 10-18-2016 100000003190 Date of first issue: 08-10-2015

## **SECTION 16. OTHER INFORMATION**

#### **Further information**

# NFPA: Flammability Instability

Special hazard.

#### HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 08-10-2015

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8