SIGMA-ALDRICH

Material Safety Data Sheet

Version 5.0 Revision Date 08/09/2012 Print Date 10/30/2013

Page 1 of 7

4	DDODUCT	AND COMPAN	IV IDENTIFICATION
I	PRODUCT	AND COMPAN	IV IDENTIFICATION

Product name	:	Chloroform-d	
Product Number	:	151831	
Brand	:	Aldrich	
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA	
Telephone	:	+1 800-325-5832	
Fax	:	+1 800-325-5052	
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555	
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956	

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Harmful by ingestion., Irritant

Target Organs

Cardiovascular system., Central nervous system, Blood, Liver, Kidney

GHS Classification

Acute toxicity, Oral (Category 4) Skin irritation (Category 2) Eye irritation (Category 2A) Carcinogenicity (Category 2) Specific target organ toxicity - repeated exposure (Category 2)

GHS Label elements, including precautionary statements

2

Fictogram



Signal word	Warning
Hazard statement(s)	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eve irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
Precautionany statemen	t(c) .

Precautionary statement(s

P281 P305 + P351 + P338 Use personal protective equipment as required. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMIS Glossification Health hazard:

Aldrich - 151831

00001405

Delivery 0846119631-000010 Purchase Order 112481

Chronic Health Hazard: Flammability: Physical hazards: NFPA Rating Health hazard: Fire:

Reactivity Hazard: 0 Potential Health Effects Inhalation M

May be harmful if inhaled. Causes respiratory tract irritation. Harmful if absorbed through skin. Causes skin irritation. Causes eye irritation. Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	
Formula	

Formula : CCl₃D Molecular Weight : 120.38

ht : 120.38 g/mol

0

0

2

0

Component	2	Concentration
Chierolern-d		
CAS-No.	865-49-6	•
EC-No.	212-742-4	

4. FIRST AID MEASURES

General advice

Skin

Eyes

Ingestion

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Deuterochloroform

If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability Not flammable or combustible.

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon clioxide.

Special protective equipment for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

6. ACCIDENTAL RELEASE MEASURES

Personal precaution:s Use personal projective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Aldrich - 151831 Delivery 0846119831-000010 Purchase Order 112481 Page 2 of 7

ろうう

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with men ausorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. hygroscopic Light sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Easis
Chloroform-d	865-49-6	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks			em impairment Liv own relevance to	rer damage Embryo/fetal damage Confirmed animal humans
	+	ST	2 ppm 9.78 mg/m3	USA. NIOSH Recommended Exposure Limits
	F'otential Oc	cupationa	I Carcinogen See	Appen dix A
		С	50 ppm 240 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	T'he value in samples.	mg/m3 is	approximate. Ce	iling limit is to be determined from breathing-zone air
		TWA	2 ppm 9.78 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1*1910.1000

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartic/ges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face jupplied air respirator. Use respirators and components tested and approved under appropriate government stancarde, such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: > 480 min Material tested:Viloject® (Aldrich Z677698, Size M)

Splash protection Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: > 30 min

Aldrich - 151831

Delivery 0846119831-000010 Purchase Order 112481

Material tested:Vitoject® (Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

lye protection

Fixe shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit where concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	liquid
Colour	no data available
Safety data	
рН	no data available
Melting point/freezing point	Melting point/range: -64 ℃ (-83 °F) - lit.
Boiling point	60.9 °C (141.6 °F) - lit.
Flash point	no data available
Ignition temperatur e	no data available
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	no data available
Density	1.500 g/cm3 at 25 ℃ (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapour density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND RACTIVITY

Page 3 of 7

Chemical stability

Stable under recommended storage conditions.

Aldrich - 151831 Delivery 0846119831-000010 Purchase Order 112481 Page 4 of 7

1

Possibility of hazardous reactions no data available

Conditions to avoid no data available

Materials to avoid

Bases, Aluminum, Strong oxidizing agents, Magnesium, Sodium/sodium oxides, Lithium

Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 Inhalation LC50 LC50 Inhalation - rat - 4 h - 47,702 mg/m3

Dermal LD50 no data available

Other information on acute toxicity Skin corrosion/irritation no data available

Serious eve damage/eve irritation no data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity Laboratory experiments have shown mutagenic effects.

Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. The National Cancer Institute (NCI) has found clear evidence for carcinogenicity. Limited evidence of carcinogenicity in animal studies

IARC:	2B - Group 2B: Possibl	carcinogenic to humans	(Chloroform-d)
-------	------------------------	------------------------	----------------

NTP: Reasonably anticipated to be a human carcinogen (Chloroform-d)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

no data available

Teratogenicity

no data available

00001406

Specific target organ toxicity - single exposure (Globally Harmonized System) no data available Aldrich - 151831

Delivery 0846119831-000010 Purchase Order 112481

Specific target organ toxicity - repeated exposure (Globally Harmonized System) May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard no data available

Potential health effects

Inhalation Ingestion Skin Eyes

May be harmful if inhaled. Causes respiratory tract irritation. Harmful if swallowed. Harmful if absorbed through skin. Causes skin irritation. Causes eye irritation.

Signs and Symptoms of Exposure

Vomiting, Gastrointestinal disturbance, Exposure to and/or consumption of alcohol may increase toxic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects no data available

Additional Information RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil

no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Packing group: III

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1888 Class: 6.1 Packing group: III Proper shipping name: Chloroform Reportable Quantity (RQ): 10 lbs Marine pollutant: No Poison Inhalatior Hazard: No

IMDG UN number: 1888 Class: 6.1 Proper shipping name: CHLOROFORM Marine pollutant: No

EMS-No: F-A, S-A

Page 6 of 7

1

Delivery 0846119831-000010 Purchase Order 112481

Aldrich - 151831

Page 5 of 7

IATA	
UN number: 1888	Class: 6.1

4

8

Packing group: III Proper shipping name: Chloroform

OSHA Hazards		
Carcinogen, Harnful by ingestion., Irritant		
SARA 302 Components		
The following components are subject to reporting levels established by SAF	A Title III, Section 3 CAS-No.	802: Revision Date
Chloroform-d	865-49-6	2008-11-03
SARA 313 Components		
The following components are subject to reporting levels established by SAF	A Title III, Section 3	313:
	CAS-No.	Revision Date
Chloroform-d	865-49-6	2008-11-03
SARA 311/312 Heizards		
Acute Health Hazard, Chronic Health Hazard		
MassachusettsRight To Know Components		
	CAS-No.	Revision Date
Chloroform-d	865-49-6	2008-11-03
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Chloroform-d	865-49-6	2008-11-03
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Chloroform-d	865-49-6	2008-11-03
California Prop. 65 Components		
WARNING! This product contains a chemical known to the State of	CAS-No.	Revisior Date
California to cause cancer. Chloroform-d	865-49-6	2008-10-70
California Prop. £5 Components		
WARNING! This product contains a chemical known b the State of	CAS-No.	Revision Date
California to cause birth defects or other reproductives min.	865-49-6	2008-10-10

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact wth the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

1

4