MATERIAL SA 24-HOUR EMERGENCY	F E T TELEPHO	LANE, PHILLIPSBURG, NJ 08865 Y DATA SHEET ONE (908) 859-2151 L RESPONSE CENTER # (800) 424-8802
A0120 -04 EFFECTIVE: 01/04/94	ACETAMI	IDE PAGE: 1 ISSUED: 01/15/94
J.T.BAKER INC., 222 RED SCHOOL LANE	, PHILL	LIPSBURG, NJ 08865
SECTION I - PR		IDENTIFICATION
	=======	
PRODUCT NAME:ACETAMIDECOMMON SYNONYMS:ACETIC ACID AMIDE;CHEMICAL FAMILY:AMIDESFORMULA:CH3CONH2FORMULA WT.:59.07CAS NO.:60-35-5NIOSH/RTECS NO.:AB4025000PRODUCT USE:LABORATORY REAGENTPRODUCT CODES:0006		ANECARBOXAMIDE; ETHANAMIDE
PRECAUTIONA	RY LABE	ELING
BAKER SAF-T-DATA* SYSTEM HEALTH FLAMMABILITY REACTIVITY CONTACT LABORATORY PROTECTIVE EQUIPMENT	- 4 - 1 - 1 - 1	SLIGHT SLIGHT

GOGGLES; LAB COAT

2

U.S. PRECAUTIONARY LABELING

CAUTION

MAY BE HARMFUL IN INHALED. MAY CAUSE IRRITATION. DURING USE AVOID CONTACT WITH EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER HANDLING. WHEN NOT IN USE KEEP IN TIGHTLY CLOSED CONTAINER.

INTERNATIONAL LABELING

POSSIBLE RISKS OF IRREVERSIBLE EFFECTS. AVOID CONTACT WITH EYES. AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH PLENTY OF WATER. KEEP CONTAINER TIGHTLY CLOSED.

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

J.T.BAKER INC. 222 REI MATERIAL S	SAFETY	DATA	SHEET	3865
24-HOUR EMERGEN CHEMTREC # (800) 424-9300				424-8802
A0120 -04 EFFECTIVE: 01/04/94			PAGE: 2 ISSUED: 01/15/94	
SECTION II	- COMPONEN			
<u>COMPONENT</u> ACETAMIDE	<u>CAS NO.</u> 60-35-5	<u>WEIGHT %</u> 90-100	<u>OSHA/PEL</u> N/E	<u>ACGIH/TLV</u> N/E
SECTION III -		======================================		
BOILING POINT: 222 C (431 F) (AT 760 MM HG)		VAPOR PRES		: 1
MELTING POINT: 81 C (177 F) (AT 760 MM HG)		VAPOR DENS	ITY (AIR=1)	: N/A
SPECIFIC GRAVITY: 1.16 (H2O=1)		EVAPORATIO	N RATE: N/A	
SOLUBILITY(H20): APPRECIABLE (>10	0%)	<pre>% VOLATILE: (21 C)</pre>	S BY VOLUME	. 0
PH: N/A				
ODOR THRESHOLD (P.P.M.): N/A		PHYSICAL ST	ATE: SOLID	
COEFFICIENT WATER/OIL DISTRIBUTIO	ON: N/A			
APPEARANCE & ODOR: COLORLESS CRYS	STALS. FAIN	T ODOR.		
SECTION IV - FIRE 2	AND EXPLOSI	ON HAZARD DA'	ГА	
FLASH POINT (CLOSED CUP): N/A				
AUTOIGNITION TEMPERATURE: N/A				
FLAMMABLE LIMITS: UPPER - N/A	LOWE	R - N/A		
and the second second second second	LOWE	K = N/K		
FIRE EXTINQUISHING MEDIA USE EXTINGUISHING MEDIA APPRO	OPRIATE FOR	SURROUNDING	FIRE.	
SPECIAL FIRE-FIGHTING PROCEDURES FIREFIGHTERS SHOULD WEAR PROD BREATHING APPARATUS WITH FULD MODE.				

MATERIAL	RED SCHOOL LANE, PHILL SAFETY DAT	A SHEET
CHEMTREC # (800) 424-930	GENCY TELEPHONE (908 00 NATIONAL RESPONSE	
A0120 -04 EFFECTIVE: 01/04/94	ACETAMIDE	PAGE: 3 ISSUED: 01/15/94
SECTION IV - FIRE AN	D EXPLOSION HAZARD DATA	(CONTINUED)
UNUSUAL FIRE & EXPLOSION HAZA NONE IDENTIFIED.	RDS	
TOXIC GASES PRODUCED CYANIDES, OXIDES OF NITRO	GEN, CARBON MONOXIDE, C	ARBON DIOXIDE
EXPLOSION DATA-SENSITIVITY TO NONE IDENTIFIED.	MECHANICAL IMPACT	
EXPLOSION DATA-SENSITIVITY TO NONE IDENTIFIED.	STATIC DISCHARGE	
SECTION	I V - HEALTH HAZARD DATA	
0		
THRESHOLD LIMIT VALUE (TLV/TW	A): NOT ESTABLISHED	
SHORT-TERM EXPOSURE LIMIT (ST	EL): NOT ESTABLISHED	
PERMISSIBLE EXPOSURE LIMIT (P	EL): NOT ESTABLISHED	
TOXICITY OF COMPONENTS		
ORAL RAT LD50 FOR ACETAMIDE INTRAPERITONEAL MOUSE LD50 FO SUBCUTANEOUS MOUSE LD50 FOR A CARCINOGENICITY: NTP: NO	CETAMIDE	7000 MG/KG 10 G/KG 8300 MG/KG 10 OSHA REG: NO
CARCINOGENICITY SOME EXPERIMENTS WITH TES	T ANIMALS INDICATED THA	T THIS SUBSTANCE MAY BE

SOME EXPERIMENTS WITH TEST ANIMALS INDICATED THAT THIS SUBSTANCE MAY BE ANTICIPATED TO BE A CARCINOGEN.

REPRODUCTIVE EFFECTS NONE IDENTIFIED.

20

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 M A T E R I A L S A F E T Y D A T A S H E E T 24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151 CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802 A0120 -04 EFFECTIVE: 01/04/94 ACETAMIDE ACETAM

SECTION V - HEALTH HAZARD DATA (CONTINUED)

EFFECTS OF OVEREXPOSUR

INHALATION: IRRITATION OF UPPER RESPIRATORY TRACT

SKIN CONTACT: IRRITATION

EYE CONTACT: IRRITATION

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: NONE IDENTIFIED

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

NONE IDENTIFIED

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE NONE IDENTIFIED

PRIMARY ROUTES OF ENTRY INHALATION, EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

- INGESTION: IF SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.
- INHALATION: IF A PERSON BREATHES IN LARGE AMOUNTS, MOVE THE EXPOSED PERSON TO FRESH AIR.
- SKIN CONTACT: IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH PLENTY OF SOAP AND WATER FOR AT LEAST 15 MINUTES.
- EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: NO PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

	. 222 RED SCHOOL LANE, PHILLIP IAL SAFETY DATA	
24-HOU	R EMERGENCY TELEPHONE (908) 24-9300 NATIONAL RESPONSE CE	859-2151
A0120 -04 EFFECTIVE: 01/04/94	ACETAMIDE	PAGE: 5 ISSUED: 01/15/94
	N V - HEALTH HAZARD DATA (CONTI)	
GENERIC CLASS: TSCA INVENTORY: STATE LISTS: FOR PRODUCT THAT WE PROVIDE TO USER THIS PRODUCT IS A CHEMIC	S: YES CONTAINS ACETAMIDE GENERIC CLASS REMO YES TS SOLD IN THE STATE OF CALIFOR S AND THEIR EMPLOYEES THE FOLLO CAL KNOWN TO THE STATE OF CALIFO	WING MESSAGE: WARNING: ORNIA TO CAUSE CANCER.
	SECTION VI - REACTIVITY DATA	
STABILITY: STABLE	HAZARDOUS POLYMERI	ZATION: WILL NOT OCCUR
CONDITIONS TO AVOID:	HEAT, FLAME, OTHER SOURCES OF	IGNITION, AIR, LIGHT
INCOMPATIBLES:	STRONG ACIDS, STRONG OXIDIZING	AGENTS
DECOMPOSITION PRODUCTS:	CYANIDES, OXIDES OF NITROGEN, O DIOXIDE	CARBON MONOXIDE, CARBON
SECTI	ON VII - SPILL & DISPOSAL PROCE	DURES
OTEDO TO DE TAVEN IN TU	E EVENT OF A SPILL OR DISCHARGE	
	CTIVE CLOTHING. CAREFULLY SWEED	P UP AND REMOVE.
DISPOSAL PROCEDURE DISPOSE IN ACCORDANCE ENVIRONMENTAL REGUL	CE WITH ALL APPLICABLE FEDERAL, ATIONS.	STATE, AND LOCAL
SECTION	VIII - INDUSTRIAL PROTECTIVE E	OUIPMENT
VENTILATION:	USE ADEQUATE GENERAL OR LOCAL D KEEP FUME OR DUST LEVELS AS LO	
RESPIRATORY PROTECTION:	NONE REQUIRED WHERE ADEQUATE VI EXIST. IF AIRBORNE CONCENTRAT APPROPRIATE RESPIRATOR OR DUST	ION IS HIGH, USE AN

F

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE (908) 859-2151 CHEMTREC # (800) 424-9300 NATIONAL RESPONSE CENTER # (800) 424-8802
A0120 -04 ACETAMIDE PAGE: 6 EFFECTIVE: 01/04/94 ISSUED: 01/15/94
SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT (CONTINUED)
EYE/SKIN PROTECTION: SAFETY GOGGLES, BUTYL RUBBER GLOVES ARE RECOMMENDED.
SECTION IX - STORAGE AND HANDLING PRECAUTIONS
SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)
<u>STORAGE REQUIREMENTS</u> KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA.
SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION
DOMESTIC (D.O.T.)
PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)
INTERNATIONAL (I.M.O.)
PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED) MARINE POLLUTANTS: NO
<u>AIR (I.C.A.O.)</u>
PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)
U.S. CUSTOMS HARMONIZATION NUMBER: 29241000007
NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING. -N/A = NOT APPLICABLE, OR NOT AVAILABLE; N/E = NOT ESTABLISHED THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED CONTINUED ON PAGE: 7

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A0120 -04 EFFECTIVE: 01/04/94

ACETAMIDE

PAGE: 7 ISSUED: 01/15/94

IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL

OR BREATHING CHEMICAL VAPORS/FUMES. EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL. BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET.

NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

COPYRIGHT 1994 J.T.BAKER INC. * TRADEMARKS OF J.T.BAKER INC.

===

- - -

APPROVED BY QUALITY ASSURANCE DEPARTMENT.

