J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE -- (201) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

M4420 M06

METHYLENE CHLORIDE

EFFECTIVE: 09/14/89

PAGE: 1 ISSUED: 09/21/89

J.T.BAKER INC. 222 RED SCHOOL LANE. PHILLIPSBURG. NJ 08865

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME:

METHYLENE CHLORIDE

COMMON SYNONYMS: DICHLOROMETHANE; METHYLENE DICHLORIDE; METHANE DICHLORIDE

CHEMICAL FAMILY: CHLORINATED HYDROCARBONS

FORMULA: FORMULA WT .: CH2CL2 84.93

CAS NO.:

75-09-2 NIOSH/RTECS NO.: PA8050000

PRODUCT USE:

LABORATORY REAGENT

PRODUCT CODES:

9313,5378,9264,9330,9341,Q480,9315,5531,9324,9329,9128

PRECAUTIONARY LABELING

BAKER SAF-T-DATA* SYSTEM

HEALTH 3 SEVERE (CANCER CAUSING)

FLAMMABILITY 1 SLIGHT REACTIVITY 1 SLIGHT CONTACT 2 MODERATE

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

U.S. PRECAUTIONARY LABELING

WARNING

MAY BE FATAL IF SWALLOWED OR INHALED. CAUSES IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH SKIN. NOTE: REPORTED AS CAUSING CANCER IN LABORATORY ANIMALS. EXERCISE DUE CARE. EXCEPTIONAL CONTACT HAZARD: READ MATERIAL SAFETY DATA SHEET.

KEEP AWAY FROM HEAT, MOISTURE, AND DIRECT SUNLIGHT. AVOID CONTACT WITH EYES, SKIN, CLOTHING. DO NOT BREATHE VAPOR. KEEP IN TIGHTLY CLOSED CONTAINER. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. IN CASE OF SPILL, SOAK UP WITH SAND OR EARTH.

METHYLENE CHLORIDE M4420 M06 PAGE: 2 EFFECTIVE: 09/14/89 ISSUED: 09/21/89 PRECAUTIONARY LABELING (CONTINUED) INTERNATIONAL LABELING HARMFUL BY INHALATION. POSSIBLE RISKS OF IRREVERSIBLE EFFECTS. AVOID CONTACT WITH SKIN. SAF-T-DATA* STORAGE COLOR CODE: BLUE (HEALTH) SECTION II - COMPONENTS WEIGHT % ACGIH/TLV COMPONENT CAS NO. OSHA/PEL METHYLENE CHLORIDE 75-09-2 98-100 500 PPM 50 PPM SECTION III - PHYSICAL DATA VAPOR PRESSURE (MMHG): 350 BOILING POINT: 40 C (104 F) (AT 760 MM HG) (20 C) VAPOR DENSITY (AIR=1): 2.9 MELTING POINT: -95 C (-139 F) (AT 760 MM HG) SPECIFIC GRAVITY: 1.32 EVAPORATION RATE: 27.5 (H20=1)(BUTYL ACETATE = 1) SOLUBILITY(H20): MODERATE (1-10%) % VOLATILES BY VOLUME: 100 (21 C) PH: N/A PHYSICAL STATE: LIQUID ODOR THRESHOLD (P.P.M.): N/A

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: CLEAR, COLORLESS LIQUID. ETHER-LIKE ODOR.

M4420 M06

METHYLENE CHLORIDE

PAGE: 3

EFFECTIVE: 09/14/89

ISSUED: 09/21/89

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP): N/A

NFPA 704M RATING: 2-1-0

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS: UPPER - 19 % LOWER - 12 %

FIRE EXTINGUISHING MEDIA
USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIRE-FIGHTING PROCEDURES
FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED
BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE
MODE. MOVE CONTAINERS FROM FIRE AREA IF IT CAN BE DONE WITHOUT RISK. USE
WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.

UNUSUAL FIRE & EXPLOSION HAZARDS
CONCENTRATED VAPOR CAN BE IGNITED BY A HIGH INTENSITY IGNITION SOURCE.
VAPOR MAY FORM FLAMMABLE MIXTURE IN ATMOSPHERE THAT CONTAINS A HIGH
PERCENTAGE OF OXYGEN. CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE.

TOXIC GASES PRODUCED
HYDROGEN CHLORIDE, PHOSGENE, CHLORINE, CARBON MONOXIDE, CARBON DIOXIDE

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE NONE IDENTIFIED.

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE (TLV/TWA): 174 MG/M3 (50 PPM)

SHORT-TERM EXPOSURE LIMIT (STEL): NOT ESTABLISHED

PERMISSIBLE EXPOSURE LIMIT (PEL): (500 PPM)

PEL (CEILING) = 1000 PPM.

M4420 M06

METHYLENE CHLORIDE

PAGE: 4 ISSUED: 09/21/89

EFFECTIVE: 09/14/89

SECTION V - HEALTH HAZARD DATA (CONTINUED)

TOXICITY OF COMPONENTS

DRAL RAT LD50 FOR METHYLENE CHLORIDE INTRAPERITONEAL MOUSE LD50 FOR METHYLENE CHLORIDE SUBCUTANEOUS MOUSE LD50 FOR METHYLENE CHLORIDE INHALATION-30MIN RAT LC50 FOR METHYLENE CHLORIDE

2136 MG/KG 437 MG/KG 6460 MG/KG

G/M3

88

NTP: NO IARC: YES Z LIST: NO CARCINOGENICITY: OSHA REG: NO

CARCINOGENICITY

THIS SUBSTANCE IS LISTED AS AN IARC PROBABLE HUMAN CARCINOGEN (GROUPS 2A AND 2B).

REPRODUCTIVE EFFECTS

TESTS ON LABORATORY ANIMALS INDICATE MATERIAL MAY BE MUTAGENIC.

EFFECTS OF OVEREXPOSURE

HEADACHE, NAUSEA, VOMITING, DIZZINESS, NARCOSIS, INHALATION:

> WEAKNESS, FATIGUE, IRRITATION OF UPPER RESPIRATORY TRACT, CENTRAL NERVOUS SYSTEM DEPRESSION, CAUSES METHEMOGLOBULIN FORMATION IN THE BLOOD, PULMONARY EDEMA, UNCONSCIOUSNESS,

AND MAY BE FATAL

SKIN CONTACT: IRRITATION, MAY BE HARMFUL, PROLONGED CONTACT MAY CAUSE

DERMATITIS

EYE CONTACT: IRRITATION. MAY CAUSE TEMPORARY CORNEAL DAMAGE

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: HEADACHE, NAUSEA, VOMITING, DIZZINESS, NARCOSIS,

WEAKNESS, FATIGUE, GASTROINTESTINAL IRRITATION, CENTRAL

NERVOUS SYSTEM DEPRESSION, CAUSES METHEMOGLOBULIN

FORMATION IN THE BLOOD. UNCONSCIOUSNESS. AND MAY BE FATAL

CHRONIC EFFECTS: DAMAGE TO LIVER, KIDNEYS, LUNGS, BLOOD, CENTRAL NERVOUS

SYSTEM

TARGET ORGANS

RESPIRATORY SYSTEM, LUNGS, CARDIOVASCULAR SYSTEM, CENTRAL NERVOUS SYSTEM, LIVER, KIDNEYS, EYES, SKIN

M4420 M06

METHYLENE CHLORIDE

PAGE: 5

EFFECTIVE: 09/14/89

ISSUED: 09/21/89

SECTION V - HEALTH HAZARD DATA (CONTINUED)

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE CARDIOVASCULAR DISORDERS, HEART DISORDERS, LIVER OR KIDNEY DISORDERS, CENTRAL NERVOUS SYSTEM DISORDERS, HEAVY DRINKERS, HEAVY SMOKERS

PRIMARY ROUTES OF ENTRY
INHALATION, INGESTION, SKIN CONTACT, EYE CONTACT, ABSORPTION

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: CALL A PHYSICIAN. IF SWALLOWED, DO NOT INDUCE VOMITING.

INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE

OXYGEN.

SKIN CONTACT: IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED

CLOTHING AND SHOES. WASH CLOTHING BEFORE RE-USE.

EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF

WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: NO PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

CERCLA HAZARDOUS SUBSTANCE: YES CONTAINS 2-BUTANONE (RQ = 5000 LBS)

TOXIC CHEMICALS:

YES CONTAINS DICHLOROMETHANE (METHYLENE

CHLORIDE)

GENERIC CLASS:

COZ

TSCA INVENTORY:

YES

STATE LISTS: FOR PRODUCTS SOLD IN THE STATE OF CALIFORNIA, THE STATE REQUIRES THAT WE PROVIDE TO USERS AND THEIR EMPLOYEES THE FOLLOWING MESSAGE: WARNING: THIS PRODUCT IS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE -- (201) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

M4420 M06

METHYLENE CHLORIDE

PAGE: 6

09/14/89 EFFECTIVE:

ISSUED: 09/21/89

SECTION VI - REACTIVITY DATA

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT, FLAME, OTHER SOURCES OF IGNITION, MOISTURE,

LIGHT

INCOMPATIBLES:

ALKALI METALS, STRONG OXIDIZING AGENTS, STRONG BASES,

DXIDES OF NITROGEN, ZINC, ALUMINUM, WATER, MAGNESIUM,

AMINES, PLASTICS, RUBBER, SODIUM, POTASSIUM

DECOMPOSITION PRODUCTS: HYDROGEN CHLORIDE, PHOSGENE, CHLORINE, CARBON

MONOXIDE, CARBON DIOXIDE

SECTION VII - SPILL & DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. STOP LEAK IF YOU CAN DO SO WITHOUT RISK. USE WATER SPRAY TO REDUCE VAPORS. TAKE UP WITH SAND OR OTHER NON-COMBUSTIBLE ABSORBENT MATERIAL AND PLACE INTO CONTAINER FOR LATER DISPOSAL. FLUSH SPILL AREA WITH WATER.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

EPA HAZARDOUS WASTE NUMBER: U080 (TOXIC WASTE)

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

VENTILATION:

USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV

REQUIREMENTS.

RESPIRATORY PROTECTION: RESPIRATORY PROTECTION REQUIRED IF AIRBORNE

CONCENTRATION EXCEEDS TLV. AT CONCENTRATIONS ABOVE

100 PPM. A SELF-CONTAINED BREATHING APPARATUS IS

ADVISED.

EYE/SKIN PROTECTION:

SAFETY GOGGLES AND FACE SHIELD, UNIFORM, PROTECTIVE

SUIT, POLYVINYL ALCOHOL GLOVES ARE RECOMMENDED.

M4420 M06

METHYLENE CHLORIDE

PAGE: 7

EFFECTIVE: 09/14/89

ISSUED: 09/21/89

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

SAF-T-DATA* STORAGE COLOR CODE: BLUE (HEALTH)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. STORE IN SECURE POISON AREA. KEEP CONTAINERS OUT OF SUN AND AWAY FROM HEAT.

SPECIAL PRECAUTIONS

MATERIAL IS HYGROSCOPIC.

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: DICHLOROMETHANE (AIR ONLY)

HAZARD CLASS:

ORM-A

UN/NA: UN1593 REPORTABLE QUANTITY: 1000 LBS.

LABELS: NONE

REGULATORY REFERENCES: 49CFR 172.101; 173.500; 173.510

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: DICHLOROMETHANE

HAZARD CLASS:

UN: UN1593

6.1 MARINE POLLUTANTS: NO I.M.O. PAGE: 6118
PACKAGING GROUP: III

LABELS: HARMFUL - STOW AWAY FROM FOOD STUFFS

REGULATORY REFERENCES: 49CFR 172.102; PART 176; IMO

AIR (I.C.A.O.)

PROPER SHIPPING NAME: DICHLOROMETHANE

HAZARD CLASS:

6.1

UN: UN1593

PACKAGING GROUP: III

LABELS: HARMFUL - STOW AWAY FROM FOOD STUFFS

REGULATORY REFERENCES: 49CFR 172.101; 173.6; PART 175; ICAO/IATA

U.S. CUSTOMS HARMONIZATION NUMBER: 29031200000

EPA/TSCA EXPORT NOTIFICATION YES

M4420 M06

METHYLENE CHLORIDE

PAGE: 8 ISSUED: 09/21/89

EFFECTIVE: 09/14/89

N/A = NOT APPLICABLE OR NOT AVAILABLE

N/E = NOT ESTABLISHED

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL. BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET. IF YOU HAVE ANY QUESTIONS, PLEASE CALL CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

COPYRIGHT 1989 J.T.BAKER INC.

* TRADEMARKS OF J.T.BAKER INC.

APPROVED BY QUALITY ASSURANCE DEPARTMENT.

-- LAST PAGE --