P.O. 64284

#### MATERIAL SAFETY DATA SHEET

#### EAGLE-PICHER MINERALS. INC.

DATE ISSUED: 11/18/85 DATE REVISED: 6/21/88 REVISION NO.:

#### PRODUCT IDENTIFICATION

PRODUCT NAME: Celator FP-2

CAS#: 7631-86-9

CHEMICAL FAMILY: Amorphous silica

WEIGHT'S 100%

CHEMICAL PORMULA: 5102

CHEMICAL NAME: Diatomaceous earth, calcined

MANUFACTURERS NAME: Eagle-Picher Minerals, Inc.

TELEPHONE: 702-322-3331

PO Box 12130 Reno, NV 89510

II. PRODUCT INGREDIENTS

VOLUMES 100%

INCREDIENT IDENTIFICATION	I CAS NUMBER	I OSBA	PEL AND/OR ACGIN TLV	1 \$
Diatomaceous Earth, Calcined	1 1 7631-86-9	See below		100%
Crystalline silica (as Cristobalite)	14464- <b>46-1</b>	1 10mg/m <sup>3</sup> (1 2(% SiO <sub>2</sub> + 2)	respirable Cristobalite) - OSHA PEL [ PEL - Permissible Exposure Limit	

(Refer to MIOSH analytical method 87500 for sampling silica dusts.)

PHYSICAL DATA

BOILING POINT: Not applicable VAPOR PRESSURE: Not applicable VAPOR DERSITY: Not applicable

SPECIFIC GRAVITY (H-0=1): 2.2 MELTING POINT: Not applicable EVAPORATION RATE: Not applicable

SOLUBILITY IN WATER: (2%

APPEARANCE AND ODOR: Odorless, buff to pink powder

## IV. FIRE AND EXPLOSION DATA

FLASH POINT: Nonflaggable FLAMMABLE LIMITS: Nonflaggable LEL: NA

EXTINGUISHING MEDIA: Nonflammable

SPECIAL FIRE FIGHTING PROCEDURES: Nonflammable UNUSUAL FIRE AND EXPLOSION HAZARDS: Nonflammable

## V. HEALTH HAZARDS

SUMMARY: Exposure to quantities of crystalline silica in excess of the PEL or TLV listed above is a known cause of silicosis, a progressive sometimes fatal lung disease.

Although silicosis is a noncancerous lung disease, in 1987 the International Agency for Research on Cancer (IARC) issued Monograph 42, a review of "Silica and Some Silicates." The Honograph (report) states that there is "sufficient evidence" that crystalline silica can cause cancer in experimental animals, and "limited evidence" that crystalline silica can cause cancer in humans. Subsequently, in Supplement 7, IARC has concluded that crystalline silica is a "probable carcinogen" (a substance which causes cancer). The terms "sufficient evidence", "limited evidence" and "probable carcinogen" are defined in the Monograph and the Supplement. Eagle-Picher Minerals, Inc. is currently in the process of evaluating the Honograph and the health effects of diatomaceous earth. Information will be made available as studies are completed. A copy of the Monograph will be made available on request.

MEDICAL COMBITIONS AGGRAVATED BY EXPOSURE: Pre-existing diseases of the upper respiratory tract and lung such as bronchitis, emphysema, and asthma.

## V. HEALTH HAZARDS - CONTINUED

ACUTE HEALTH EFFECTS: Upper respiratory irritant - may cause coughing or throat irritation.

CHRONIC HEALTH EFFECTS: Inhalation of dust in excess of the Threshold Limit Value (TLV) recommended by the American Conference of Governmental Industrial Hygienists (ACGIH) or in excess of the Permissible Exposure Limit (PEL) recommended by OSHA over an extended number of years may cause silicosis, a progressive sometimes fatal lung disease. Although silicosis is a noncancerous lung disease, crystalline silica has been determined by TARC to be a "probable carcinogen" (a substance which causes cancer). Crystalline silica has not been classified as a carcinogen by OSHA or NTP.

ROUTES OF ENTRY: Inhalation

TARGET ORGANS: Lungs

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

INHALATION - Acute overexposure can cause dryness of the masal passages and congestion of the upper respiratory system SKIN - May cause dryness; not absorbed by the skin

INGESTION - Not intended for ingestion - earthy taste and texture

EYES - Temporary irritation or inflammation

PIRST AID PROCEDURES:

INHALATION - Remove to fresh air

SKIN - None necessary - if dryness occurs, use moisture renewing lotions

INGESTION - Short term exposures not considered harmful - drink water to reduce bulk and drying effects.

EYES - Wash with generous quantities of water. Consult a physician if irritation persists.

#### VI. REACTIVITY DATA

STABILITY: Product is stable

INCOMPATIBILITY: Hydrofluoric acid - silica may react violently with Hydrofluoric acid.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None known

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: None known

# VII. PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Vacuum clean spillage, wet sweep or wash away. Avoid creating dust.

EMASTE DISPOSAL METHOD: Non-biodegradable, use solid waste disposal common to landfill type operations or similar disposal or insolurry to sumps. Not considered a hazardous waste under RCRA (40CFR Part 261).

PRECAUTIONS TO BE TAKEN IN MAMBLING AND STORAGE: Avoid creating dust, repair or properly dispose of broken bags.

OTHER PRECAUTIONS: Not normally necessary

#### VIII. CONTROL MEASURES

RESPIRATORY PROTECTION: Eureau of Mines or MIOSH approved respirators for protection against pneumoconicsis producing dusts recommended when dust is present. If the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL) use quarter or half mask respirator with replacement dust filter or single use dust respirator with valve. If dust concentration is greater than ten (10) times and less than one hundred (100) times the PEL use full faceplate respirator with replaceable dust filter; if greater than one hundred (100) and less than two hundred (200) times the PEL use power air-purifying (positive pressure) espirator with replaceable filter; if greater than two hundred (200) times the PEL use type C, supplied - air respirator, continuous flow type (positive pressure), with full facepiece, hood, or helmet.

SEMILATION: Local - control within the recommended TLV. Refer to ACGIH publication "Industrial Ventilation" or similar

publications for the design of ventilation systems.

PROTECTIVE GLOVES: Not normally necessary - use if irritation or excessive dryness occurs.

EYE PROTECTION: Not normally necessary - use when windy conditions exist, and a

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not normally necessary

#ORE/HYGIENIC PRACTICES: Avoid creating dust, maintain good housekeeping practices, and supply proper respiratory protection.